

<b>SITEX</b>		<b>Retail Price List - Effective January 1st, 2017</b>	
<b>STAND ALONE DIGITAL SONARS</b> (Transducers sold separately)			List Price
<b>CVS-126 - Dual Frequency 1kW or 600 Watt, 5.7" Color TFT LCD Digital Sonar System</b>			\$699.00
<b>SVS-760 - Dual Frequency 1kW or 600 Watt, 7" Color TFT LCD Digital Sonar System</b>			\$749.00
<b>CVS-128 - Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Kodon Digital Filtering System</b>			\$1,699.00
<b>CVS-1410 - Dual Frequency 1 kW or 600w 10.4" Color TFT LCD Digital Sonar - with (KDF) Kodon Digital Filtering System</b>			\$2,299.00
600W Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)		250/50/200ST-CX	\$150.00
600W Bronze TH w/ temp 45° @ 50kHz, 11° @ 200kHz		1700/50/200T-CX	\$170.00
600W Bronze thru-hull w/ Temp incl. Hi-Spd Fairing Block (Beam angle: 45° @ 50kHz, 12° @ 200kHz)		B45/50/200T-CX	\$250.00
600W Bronze thru-hull w/temp only (Beam angle: 22°x45° @ 50kHz, 6°x11° @ 200kHz)		307/50/200T-CX	\$260.00
600W Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)		B-60-0-CX	\$280.00
600W Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)		B-60-12-CX	\$280.00
600W Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)		B-60-20-CX	\$280.00
600W Bronze thru-hull w/Speed & Temperature (Dual Stem) (Beam angle: 45° @ 50kHz, 11° @ 200kHz)		500/50/200ST-CX	\$380.00
600W Bronze thru-hull w/Spd. & Temp. includes Hi-Spd Fairing (Beam angle: 45° @ 50kHz, 12° @ 200kHz)		B744V-CX	\$380.00
1kW, Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)		250C/50/200ST-CX	\$200.00
1kW, Bronze w/temp recommended for deep water use (Beam angle:14°x21°@50kHz,3°x5°@200kHz)		707/50/200T-CX	\$500.00
1kW. Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)		B-164-0-CX	\$899.00
1kW. Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)		B-164-12-CX	\$899.00
1kW. Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)		B-164-20-CX	\$899.00
<b>650MBL</b>	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays		\$26.95
<b>Digital A Cable</b>	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type Transducers		\$49.95
<b>Digital F Cable</b>	Converts Furuno Dual Freq. transducers with 10 pin connector to units that use the CX type Transducers		\$129.95
<b>Multiplex Box-CX</b>	Converts dual element dual-freq. Transducers of older sounders to units that use the CX type Transducers		\$150.00
<b>DIGITAL SONAR / CHART / GPS COMBINATIONS</b> (Transducers sold separately)			List Price
<b>SVS-560CF - GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD system incl. INTERNAL GPS Ant. &amp; Navionics + Card</b>			\$659.00
<b>SVS-560CF-E - GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD system incl. Internal &amp; EXTERNAL GPS Ant. &amp; Navionics + Card</b>			\$699.00
<b>SVS-760CF - GPS Chart - Dual Freq. 1kW or 600W Digital Sonar System, 7" Color LCD system incl. EXTERNAL GPS Ant. &amp; Navionics + Card</b>			\$999.00
<b>SVS-880CF - GPS Chart - Dual Freq. 1kW or 600W Digital Sonar System, 8" Color LCD system incl. INTERNAL GPS Ant. &amp; Navionics + Card</b>			\$1,199.00
<b>SVS-880CF-E - GPS Chart - Dual Freq. 1 kW or 600W Digital Sonar System, 8" Color LCD system incl. Internal &amp; EXTERNAL GPS Ant. &amp; Navionics + Card</b>			\$1,249.00
<b>SVS-1010CF - GPS Chart - Dual Freq. 1kW or 600W Digital Sonar System, 10" Color LCD system incl. INTERNAL GPS Ant. &amp; Navionics + Card</b>			\$1,799.00
<b>SVS-1010CF-E - GPS Chart - Dual Freq. 1kW or 600W Digital Sonar System, 10" Color LCD system incl. Internal &amp; EXTERNAL GPS Ant. &amp; Navionics + Card</b>			\$1,849.00
<b>Transducer Options Listed Above</b>			
<b>DIGITAL SONAR / CHART / GPS COMBINATIONS ACCESSORIES</b>			
<b>HD-1000R</b>	Wireless RF Remote for all SVS-880 and SVS-1010 Series products		\$150.00
<b>650MBL</b>	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays		\$26.95
<b>Digital A Cable</b>	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type Transducers		\$49.95
<b>Digital F Cable</b>	Converts Furuno Dual Freq. transducers with 10 pin connector to units that use the CX type Transducers		\$129.95
<b>5511</b>	Power Cord for all SVS Products		\$29.95
<b>Multiplex Box-CX</b>	Converts dual element dual-freq. Transducers of older sounders to units that use the CX type Transducers		\$150.00
<b>TOUCH SCREEN DIGITAL SONAR / CHART / RADAR COMBINATIONS</b> (Transducers and radar sold separately)			
<b>Navstar 10C GPS Standalone Chart Plotter System, 10" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$2,199.00
<b>Navstar 10CF GPS Chart Plotter/600W or 1kW Sonar System, 10" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$2,399.00
<b>Navstar 10CFR GPS Chart Plotter/Sonar/Radar System, 10" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$2,599.00
<b>Navstar 12C GPS Standalone Chart Plotter System, 12" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$2,999.00
<b>Navstar 12CF GPS Chart Plotter/600W or 1kW Sonar System, 12" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$3,199.00
<b>Navstar 12CFR GPS Chart Plotter/Sonar/Radar System, 12" Color Touchscreen TFT XGA LCD with Internal GPS Antenna</b>			\$3,399.00
<b>On the Navstar10CFR and Navstar12CFR, the radar is sold separately - Model KRA-1004 - 24" 4kW Radome</b>			
			\$1,699.00

<b>SITEX</b>		<b>Retail Price List - Effective January 1st, 2017</b>	
<b>CHARTING SYSTEMS</b>			List Price
<b>SVS-460C</b>	GPS Standalone Chart Plotter System, 4" Color TFT LCD includes <b>INTERNAL</b> GPS Antenna & Navionics + Map Card		\$449.00
<b>SVS-460CE</b>	GPS Standalone Chart Plotter System, 4" Color TFT LCD includes Internal & <b>EXTERNAL</b> GPS Antenna & Navionics + Map Card		\$499.00
<b>SVS-760C</b>	GPS Standalone Chart Plotter System, 7" Color TFT LCD includes <b>EXTERNAL</b> GPS Antenna & Navionics + Map Card		\$799.00
<b>SVS-880C</b>	GPS Standalone Chart Plotter System, 8" Color TFT LCD includes <b>INTERNAL</b> GPS Antenna & Navionics + Map Card		\$999.00
<b>SVS-880CE</b>	GPS Standalone Chart Plotter System, 8" Color TFT LCD includes Internal & <b>EXTERNAL</b> GPS Antenna & Navionics + Map Card		\$1,049.00
<b>SVS-1010C</b>	GPS Standalone Chart Plotter System, 10" Color TFT LCD includes <b>INTERNAL</b> GPS Antenna & Navionics + Map Card		\$1,599.00
<b>SVS-1010CE</b>	GPS Standalone Chart Plotter System, 10" Color TFT LCD includes Internal & <b>EXTERNAL</b> GPS Antenna & Navionics + Card		\$1,649.00
<b>SVS880FMK</b>	Flush Mount Bezel kit for all versions of the SVS-880's		\$39.95
<b>SVS1010FMK</b>	Flush Mount Bezel kit for all versions of the SVS-1010's		\$39.95
<b>GA-88</b>	Replacement External GPS Antenna for SVS series w/ 10 meter cable		\$59.95
<b>EXPLORER PLUS Black Box and EC Series</b>			List Price
<b>EXPLORER NavPro</b>	Black Box Combination plotter with multi-function options. HDMI type output for external monitor (not included). With All Accessory Cables. No GPS Antenna		\$699.00
<b>EXPLORER Navpro -W</b>	Black Box Combination plotter with multi-function options. HDMI type output for external monitor (not included). With All Accessory Cables. includes GPK-11 Smart GPS Antenna		\$959.00
<b>LARGE FORMAT MUTI-FUNCTION CHARTING SYSTEMS</b>			
<b>TRAWL PLOT 12 SD</b>	Professional Chart plotter with 12.1" daylight readable display. Large internal memory, Additional track storage on SD card slot. Includes GPK-11 smart sensor. Uses C-Map Max C-Card Format (Not included)		\$2,799.00
<b>CHARTING SYSTEM ACCESSORIES</b>			List Price
<b>K10QDB001A</b>	Quick Disconnect Bracket for ColorMax 6, ColorMax Wide I and E		\$69.95
<b>CBCHMS0700</b>	Video Adapter Cable for all Explorer and Explorer Plus series units		\$29.95
<b>CBC0FS0804</b>	I/O and Power cable with 8-pin connector for All Sitex units using an 8 pin power cord.		\$29.95
<b>CBC0FS0301</b>	I/O and Power cable with 3-pin connector for Sitex ColorMax 15		\$29.95
<b>ES502D BLACK BOX FISHFINDER</b>	600w or 1kW Black Box Digital Sonar for Explorer Plus, ClolorMax 15, and TrawlPlot 12 SD (Transducers for ES502D sold separately)		\$349.00
600W Transom w/speed & temp (Beam Angle: 42° @ 50kHz, 12° @ 200kHz)		492/50/200ST-ES	\$150.00
600W Plastic in-hull, depth only (Beam Angle: 45° @ 50kHz, 12° @ 200kHz)		494/50/200-ES	\$135.00
600W Bronze thru-hull w/speed & temp, F.B. included (Beam Angle: 45° @ 50kHz, 12° @ 200kHz)		496/50/200ST-ES	\$425.00
600W Bronze 0° tilt-element thru-hull w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12°@200kHz)		B-60-0-ES	\$280.00
600W Bronze 12° tilt-element thru-hull w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12°@200kHz)		B-60-12-ES	\$280.00
600W Bronze 20° tilt-element thru-hull w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12°@200kHz)		B-60-20-ES	\$280.00
1000W, Bronze thru-hull w/temperature, Hi-Spd. Fairing block included (Beam Angle: 14°x23° @ 50kHz, 3°x5° @ 200kHz)		189/50/200T-ES	\$800.00
<b>ACTIVE SMARTDUCERS</b>	NMEA0183 Digital Depth and Water temperature input to charting systems.		
<b>SI-TEX 250/120TA</b>	Plastic Transom Mount, Depth Range 450'		\$250.00
<b>SI-TEX 250/120TC</b>	Plastic Transom Mount, Depth Range 1000'		\$270.00
<b>SI-TEX 408PR/120T</b>	Plastic Thru-hull Mount, Depth Range 450'		\$350.00
<b>SI-TEX 408PR/120TC</b>	Plastic Thru-hull Mount, Depth Range 1000'		\$395.00
<b>SI-TEX 408BR/120T</b>	Bronze Thru-hull Mount, Depth Range 450'		\$450.00
<b>SI-TEX 408BR/120TC</b>	Bronze Thru-hull Mount, Depth Range 1000'		\$495.00
<b>GPS RECEIVERS</b>			List Price
<b>GPS-90MkII</b>	Large Display GPS with built-in differential GPS receiver.		\$469.00
<b>SIT-5PC</b>	Power Cable for GPS-90MkII		\$29.95
<b>GA-08</b>	GPS Antenna w/ Coax Cable		\$150.00
<b>GPK-11 Smart Antenna</b>	NMEA 0183 Output GPS sensor		\$259.00
<b>T-760 7" SERIES COLOR LCD TOUCH SCREEN RADAR SYSTEMS</b>			List Price
<b>T-760</b>	7" Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable		\$1,999.00
<b>T-761</b>	7" Touch Screen Color LCD 4kW Radar with 24" Radome Antenna incl. 10m cable		\$2,999.00
<b>Options T-760 &amp; T-761 Series Radars</b>			
15 meter Interconnect Cable Upgrade (p/n CFQ9924-15)		Add	\$100.00
20 meter Interconnect Cable Upgrade		Add	\$150.00
30 meter Interconnect Cable Upgrade		Add	\$200.00
<b>T760MBL</b>	Overhead Mounting Bracket		\$39.95
<b>7ZCRD1689</b>	NMEA Interface Cable		\$70.00
<b>NQA2447-100</b>	VGA Output Kit		\$175.00
<b>T-900 8.5" SERIES COLOR LCD RADAR SYSTEMS</b>			
<b>Stand Alone / Dual Range / Dual Speed Digital Radars</b>			
<b>Now Includes AIS interface and data cable CW-376-5M, 32' radar cable</b>			List Price
<b>T-921</b>	2kW output, 1/16NM to 24NM range, 18" Radome		\$2,999.00
<b>T-941</b>	4kW output, 1/16NM to 36NM range, 25" dual speed Radome		\$3,499.00
<b>T-940-3</b>	4kW output, 1/16NM to 48NM range, 3.5 ft. dual speed open antenna		\$5,299.00

<b>SITEX</b>	Retail Price List - Effective January 1st, 2017	
T-940-4	4kW output, 1/16NM to 48NM range, 4.5 ft. dual speed open antenna	\$5,499.00



<b>SITEX</b>		<b>Retail Price List - Effective January 1st, 2017</b>	
<b>SI-TEX AUTOPILOT SYSTEMS</b>			
<b>SP-110 Autopilot Systems</b>			List Price
<b><u>SP-110 Virtual Feedback Systems</u></b>			
SP110VF-1	SP110 System with Virtual Feedback, No Drive Unit		\$1,549.00
SP110VF-2	SP110 System with Virtual Feedback & 9CI reversing Hyd. Pump		\$1,949.00
<b><u>SP-110 Rudder Feedback Systems</u></b>			
SP110RF-1	SP110 System with Rudder Feedback, No Drive Unit		\$1,799.00
SP110RF-2	SP110 System with Rudder Feedback & 9CI reversing Hyd. Pump		\$2,199.00
SP110RF-3	SP110 System with Rudder Feedback & "Type S" Mechanical Dash Drive		\$2,699.00
SP110RF-4	SP110 System with Rudder Feedback & "Type T" Mechanical Dash Drive		\$2,799.00
SP110RF-5	SP110 System with RFB & Remote Mechanical Drive - 1994+ Mercury IO / Volvo Gas		\$2,948.00
SP110RF-6	SP110 System with RFB & Remote Mechanical Drive - 1983-93 Mercury IO / Volvo Diesel		\$2,948.00
SP110RF-7	SP110 System with RFB & Remote Mechanical Drive - Yamaha Outboards 70 hp +		\$2,948.00
SP110RF-8	SP110 System w/ RFB & Remote Mechanical Drive - Mercury, Mariner, Suzuki Outboards		\$2,948.00
SP110RF-9	SP110 System with RFB & Remote Mechanical Drive - Inboard Engines		\$2,948.00
<b><u>SP-110 Mechanical Sail Drive Systems w/ RFB</u></b>			
SP110SD-1	SP-110 System w/ RFB & Remote Mechanical Drive - 8.5" Stroke - 13,200 lbs Disp. (32ft)		\$2,948.00
SP110SD-2	SP-110 System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)		\$3,199.00
<b><u>SP-110 Autopilot System Accessories</u></b>			
OCTAFG0612	9CI Pump - recommend for		\$350.00
OCTAFG1012	12CI Pump - recommend for		\$450.00
SP110ASS	SP-110 Replacement Control Head		\$1,200.00
SP110EC	SP-110 Replacement Rate Compass		\$650.00
RFUS110	SP-110 Rotary Rudder Feedback Unit		\$400.00
RFULINASS	Rotary Feedback Linkage Kit		\$100.00
CABGPS110	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations		\$100.00
CAB47RFU	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units		\$120.00
<b>SP-70 Autopilot Systems</b>			List Price
SP-70-1	System with Rotary Rudder Feedback for inboards, No Drive Unit		\$1,899.00
SP-70-2	System with Linear Rudder Feedback for outboards, No Drive Unit		\$2,099.00
<b><u>SP-70 Systems with Mechanical Drives</u></b>			
SP-70-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,898.00
SP-70-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,998.00
SP-70-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback		\$3,298.00
<b>SP-80 Autopilot Systems</b>			List Price
SP-80-1	System with Rotary Rudder Feedback for inboards, No Drive Unit		\$1,899.00
SP-80-2	System with Linear Rudder Feedback for outboards, No Drive Unit		\$2,099.00
<b><u>SP-80 Systems with Mechanical Drives</u></b>			
SP-80-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,898.00
SP-80-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback		\$2,998.00
SP-80-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback		\$3,298.00
<b><u>Hydraulic Pumps</u></b>			
81167	Add 18CI Hydraulic pump, 12 VDC		\$500.00
81783	Add 30CI Hydraulic pump, 12 VDC		\$600.00
<b><u>SP-70/80 Autopilot Accessories</u></b>			
20080009	SP-70 Control head only		\$450.00
20080011	SP-80 Control head only		\$475.00
10080034	SP-70 Remote station kit - 30' Bulkhead connection cable kit only		\$90.00
10080035	SP-70 Second station kit, Includes SP70 Control Head w/30' bulkhead connection cable		\$525.00
10080038	SP-80 Second station kit with 25' cable		\$625.00
65610010	Mounting clip for SP-70 Control head		\$29.95
30080003	SP-70/80 Processor Black Box		\$1,200.00
20320003	Fluxgate compass with 50ft Cable		\$500.00
20320002	Compass Pick-off Sensor		\$300.00
20330008	Inboard rotary rudder feedback with 50ft Cable		\$500.00
20330007	Inboard rotary rudder feedback linkage kit		\$120.00
20330017	Teleflex Smartstick Linear Feedback includes RFB interface module		\$600.00
20330016	Teleflex Smartstick RFB Interface module		\$100.00
SRA-1	Rudder Angle Indicator for SP-70 and SP-80		\$525.00
66553	SRA-1 bezel kit		\$35.00

<b>SITEX</b>		<b>Retail Price List - Effective January 1st, 2017</b>									
		<b>SP-36 Color LCD Autopilot Systems</b>								List Price	
		<b>SP-36 Inboard Packages without Pumps</b>									
<b>SP36-1</b>		Core Pack including 3 Axis Rate Compass & Rotary feedback, No pump								\$4,175.00	
<b>SP36-2</b>		Core Pack including Flux Gate Compass & Rotary feedback, No pump								\$3,985.00	
<b>SP36-3</b>		Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump								\$3,649.00	
<b>SP36-4</b>		Core Pack including Rotary feedback only, No compass, No pump								\$3,375.00	
<b>SP36-10</b>		Core Pack Virtual feedback System includes 3 Axis Rate Compass, No Pump								\$3,599.00	
<b>SP36-17</b>		Core Pack Only, No Rotary feedback, No compass, No pump								\$2,999.00	
<b>SP36-18</b>		Core Pack including Compact GPS Compass & Rotary feedback, No pump								\$4,499.00	
<b>SP36-19</b>		Core Pack Virtual feedback System includes Compact GPS Compass, No Pump								\$4,219.00	
		<b>SP-36 Autopilot Accessories</b>									
<b>20110013</b>		Second station kit, SP36 w/ 25' cable								\$1,699.00	
<b>31110037</b>		SP-36 Control Head Interconnect Cable - 25ft								\$239.00	
<b>20310025</b>		TS203 Full Follow Up Remote Lever for SP36 Pilot System w/ 40 ft of Cable								\$900.00	
<b>20310002</b>		NFU Jog Switch with single set of switches								\$400.00	
<b>30110006</b>		SP36 YOKE Mount kit for control head								\$59.00	
<b>30110022</b>		SP36 Flush Mount kit for control head								\$37.00	
<b>30110023</b>		SP36 Surface Mount kit for control head								\$37.00	
<b>30110019</b>		Plastic Sun Cover for SP36 Control Head								\$37.00	
		<b>GENERAL AUTOPILOT ACCESSORIES</b>								List Price	
<b>SRS-100</b>		Universal Wireless Jog Control System. Can be added to most any autopilot system								\$319.00	
<b>OC17SUK42</b>		30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all needed Hyd. Fittings								\$179.00	
<b>OC17SUK34</b>		Verado Power Steering Installation Kit Including All Hoses								\$299.00	
<b>223346R2</b>		12vdc Variable Flow Solenoid Valve System								\$999.00	
<b>OC17SUK19</b>		12VDC / 24VDC Constant Flow Solenoid Valve System for Power Steering Systems								\$799.00	
<b>OC17SUK03</b>		Unbalanced Hydraulic Ram Compensator Valve								\$169.00	
<b>OC15SUK27A</b>		Rudder Feedback for Mechanical Drive units								\$239.00	
<b>OC15SUK27E</b>		Rudder Feedback for Mechanical Drive units for the SP-110								\$239.00	
<b>OC15SUK16</b>		3/4" Black Anodized Aluminum Spacer Rings for Dash Drives								\$139.00	
<b>OCTSIMDMSRW</b>		Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters								\$999.00	
<b>OCTSIMDTPRW</b>		Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback,w/ Cable adapters								\$1,099.00	
<b>OCTAFMDRESYS*</b>		Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit (*Specify whether A,B,C,D or E versions from Autopilot Drive Brochure)								\$1,399.00	
<b>OCTAFMDRSSYS</b>		Mechanical Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 LBS Displacement)								\$1,659.00	
<b>81167</b>		18CI pumpset, 12 VDC								\$500.00	
<b>81783</b>		30CI pumpset, 12 VDC								\$600.00	
<b>REPLACEMENT TRANSDUCERS</b>											
<b>Part#</b>	<b>Power</b>	<b>Beam Angle</b>	<b>Housing</b>	<b>Mount</b>	<b>Plug</b>	<b>Cable</b>	<b>Temp</b>	<b>Speed</b>	<b>For SI-TEX Model</b>	<b>List Price</b>	
<b>Single Frequency 120 kHz</b>											
<b>250/120</b>	300W	38°	Plastic	TM	8-pin	30'	No	No	<b>SDD-110 Digital Depth</b>	\$130.00	
<b>1700/120</b>	300W	38°	Bronze	TH	8-pin	30'	No	No	<b>SDD-110 Digital Depth</b>	\$140.00	
<b>408P/120</b>	300W	38°	Plastic	FM	8-pin	30'	No	No	<b>SDD-110 Digital Depth</b>	\$110.00	
<b>408BR/120</b>	300W	38°	Bronze	FM	8-pin	30'	No	No	<b>SDD-110 Digital Depth</b>	\$250.00	
<b>250/120ST</b>	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	<b>CVS106,106MKII,106L,106LMKII</b>	\$130.00	
<b>1700/120T8P</b>	600W	15°	Bronze	TH	8-pin	30'	Yes	No	<b>CVS106,106MKII,106L,106LMKII</b>	\$150.00	
<b>Single Frequency 200 kHz</b>											
<b>250/200ST</b>	300W	9°	Plastic	TM	8-pin	30'	Yes	Yes	<b>CVS106MKIIA, Profish III</b>	\$150.00	
<b>1700/200T8P</b>	300W	9°	Bronze	TH	8-pin	30'	Yes	No	<b>CVS106MKIIA, Profish III</b>	\$160.00	

<b>SITEX</b>		<b>Retail Price List - Effective January 1st, 2017</b>									
		<b>Dual Frequency 50/200 kHz</b>									
<b>492/50/200ST-ES</b>	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	30'	Yes		EC5F, EC7F, ES502	\$150.00
<b>494/50/200-ES</b>	500W	45° @ 50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No		EC5F, EC7F, ES502	\$135.00
<b>496/50/200ST-ES</b>	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes		EC5F, EC7F, ES502	\$425.00
<b>189/50/200T-ES</b>	1kW	14°x23° @ 50kHz 3°x5° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		EC5F, EC7F, ES502	\$800.00
<b>B-60-0-ES for 0° to 7° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		EC5F, EC7F, ES502	\$280.00
<b>B-60-12-ES for 8° to 15° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		EC5F, EC7F, ES502	\$280.00
<b>B-60-20-ES for 16° to 24° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		EC5F, EC7F, ES502	\$280.00
<b>250/50/200ST</b>	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes		CVS106MKIIDF,106L,106LMkII, 832, 833	\$140.00
<b>250C/50/200ST</b>	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes		CVS832C,833C	\$200.00
<b>1700/50/200T</b>	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		CVS106MKIIDF,106L,106LMkII,832	\$160.00
<b>300/50/200T</b>	600W	43° @ 50kHz 9° @ 200kHz	Bronze	TH	Two 8-pin	30'	Yes	No		CVS208/209	\$250.00
<b>307/50/200T</b>	1kW	22°x45° @ 50kHz 6°x11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		CVS832, 832C, 833, 833C	\$250.00
<b>500/50/200ST</b>	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes		CVS106MKIIDF,106L,106LMkII, 832, 833	\$300.00
<b>706/50/200T</b>	1kW	14°x20° @ 50kHz 7° @ 200kHz	Bronze	TH	Two 8-pin	30'	Yes	No		CVS208/209/210/211	\$700.00
<b>250/50/200ST-CX</b>	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes		SVS-560,760,880,1010 CVS-126,128	\$150.00
<b>1700/50/200T-CX</b>	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		SVS-560,760,880,1010 CVS-126,128	\$170.00
<b>B45/50/200T-CX (Incl. Hi-Spd Bloc)</b>	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		SVS-560,760,880,1010 CVS-126,128	\$250.00
<b>307/50/200T-CX</b>	600W	22°x45° @ 50kHz 6°x11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		SVS-560,760,880,1010 CVS-126,128	\$270.00
<b>500/50/200ST-CX</b>	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes		SVS-560,760,880,1010 CVS-126,128	\$300.00
<b>B744V-CX w/Hi-Speed Fairing Block</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes		SVS-560,760,880,1010 CVS-126,128	\$380.00
<b>B-60-0-CX for 0° to 7° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		SVS-650, CVS-126, CVS-128	\$280.00
<b>B-60-12-CX for 8° to 15° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		SVS-650, CVS-126, CVS-128	\$280.00
<b>B-60-20-CX for 16° to 24° deadrise</b>	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		SVS-650, CVS-126, CVS-128	\$280.00
<b>250C/50/200ST-CX</b>	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes		SVS-560,760,880,1010 CVS-126,128	\$200.00
<b>707/50/200T-CX</b>	1kW	14°x21° @ 50kHz 3°x5° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No		CVS128 & CVS-1410 (For Deep Water)	\$500.00
<b>B-164-0-CX for 0° to 7° deadrise</b>	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		CVS128, CVS-1410	\$899.00
<b>B-164-12-CX for 8° to 15° deadrise</b>	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		CVS128, CVS-1410	\$899.00
<b>B-164-20-CX for 16° to 24° deadrise</b>	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No		CVS128, CVS-1410	\$899.00
<b>TRANSDUCER/SOUNDER/GPS ACCESSORIES</b>											List Price
<b>Digital A Cable</b>	Adapts ALL CVS106 50/200 transducers with 8-pin round connector to SVS & CVS Series										\$49.95
<b>Digital A Cable-3</b>	Adapts old style 3 pin Fuji connector to 8 pin Conxall										\$49.95
<b>Digital F Cable</b>	Converts Furuno transducers with 10 pin connector to SVS & CVS Series Sounders.										\$129.95
<b>1700FB</b>	While plastic fairing block for 1700 series transducers										\$50.00
<b>TM231</b>	Transom Bracket for 231/200, 231/50, HTM200, and all "236" "250" Series Transducers										\$14.95
<b>TS200</b>	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs										\$89.95
<b>5223-1</b>	Paddle wheel kit for 400/500 series transducers										\$19.95
<b>401-1</b>	25' transducer cable with 8-pin plug to 5-pin & 3-pin plug for 400 series transducers										\$99.95
<b>400-25</b>	Speed temp insert for 400 series transducers										\$74.95
<b>810-15</b>	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)										\$49.95
<b>810-30</b>	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)										\$59.95
<b>810-15-CX</b>	15' extension cable with 8-pin conxall plugs										\$74.95
<b>810-30-CX</b>	30' extension cable with 8-pin conxall plugs										\$119.95
<b>PU-634</b>	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II										\$19.95
<b>SIC-21</b>	Data Interface Cable CVS-106, CVS-106Mk II, CVS-833, Profish II										\$24.95
<b>CN070</b>	6 pin interface plug										\$9.95
<b>CBC0FS0301</b>	3 Pin ColorMax 15 Power Cord										\$29.95
<b>GA-88</b>	Replacement GPS Antenna for GPS-95CP Mk II										\$59.95
<b>SI-TEX Marine Electronics</b>											
Office hours 9am to 5pm EST Monday thru Friday											
Office Telephone (631) 996-2690				E-Mail: orders@si-tex.com				Office Fax (631) 996-2693			