

STAND ALONE DIGITAL SOUNDERS (USES "CX" TRANSDUCERS SOLD SEPARATELY)		MSRP PRICE
CVS-126	Dual Frequency 600 Watt, 5.7" Color TFT LCD Digital Sonar System	\$799
SVS-760	Dual Frequency 600 Watt, 7" Color TFT LCD Digital Sonar System	\$899
CVS-128	Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$1,599
CVS-1410	Dual Frequency 1 kW or 600W, 10.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$2,199
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
Digital A Cable	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type TDs	\$75
<b>GPS CHARTPLOTTERS WITH SONAR (USES "CX" TRANSDUCERS SOLD SEPARATELY)</b>		
SVS-560CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Internal GPS Ant. & Navionics + Card	\$899
SVS-560CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$999
SVS-760CF+	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int and Ext GPS Ant. & C-MAP 4D Map Card	\$1,199
SVS-880CF+	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int GPS Ant. & C-MAP 4D Map Card	\$1,399
SVS-880CFE+	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int and Ext GPS Ant. & C-MAP 4D Map Card	\$1,499
ORION10CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/Int GPS Ant. & C-MAP 4D Map Card	\$1,999
ORION10CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/ Int & Ext GPS Ant. & C-MAP 4D Map Card	\$2,069
<b>STAND ALONE GPS CHARTPLOTTERS</b>		
SVS-760C+	GPS Standalone Chart Plotter System, 7" Color TFT LCD w/Ext GPS Antenna & C-MAP 4D Map Card	\$999
SVS-880C+	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int GPS Antenna & C-MAP 4D Map Card	\$1,199
SVS-880CE+	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int and Ext GPS Antenna & C-MAP 4D Map Card	\$1,299
ORION10C	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/Int GPS Antenna & C-MAP 4D Map Card	\$1,799
ORION10CE	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/ Int and Ext GPS Antennas & C-MAP 4D Map Card	\$1,899
<b>DIGITAL SOUNDER/ CHART/ GPS COMBO UNIT ACCESSORIES</b>		
HD-1000R	Wireless RF Remote for all SVS-880 and SVS-1010 Series products	\$150
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
5511	Power Cord for all SVS & NavStar Products	\$50
SVS880FMK	Flush Mount Bezel kit for all versions of the SVS-880's	\$50
SVS1010FMK	Flush Mount Bezel kit for all versions of the SVS-1010's	\$50
GA-88	Replacement External GPS Antenna for SVS & NavStar Series w/ 10 meter cable	\$120
<b>NAVPRO SERIES MULTI-FUNCTION CHART PLOTTERS w/ Wi-Fi</b>		
NavPro 900 w/Wi-Fi	9" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Polaris Chart Card	\$1,099
NavPro 900F w/Wi-Fi	9" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Polaris Chart Card	\$1,299
NavPro 1200 w/Wi-Fi	12" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Polaris Chart Card	\$2,299
NavPro 1200F w/Wi-Fi	12" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Polaris Chart Card	\$2,499
Explorer NavPro Wi-Fi	Black Box MFD w/Wifi. HDMI Video Output. No GPS Antenna. Uses Polaris, Navionics or CMAP, sold separately.	\$899
Explorer Navpro Wi-Fi-W	Black Box MFD w/Wifi. HDMI Video Output. w/GPK-11 GPS Antenna. Polaris, Navionics or CMAP - not included	\$1,159
<b>Wi-Fi RADAR</b>		
MDS-15Wi-Fi	4kW Hi-Resolution Digital Radar, 24" radome w/ 10m cable & WiFi Junction box, for use with all Navpro products	\$2,199
<b>BLACKBOX CHIRP SOUNDER</b>		
SCS-1000	Black Box CHIRP fishfinder 600W or 1kW for NavPro Series without built-in fishfinder	\$499
<b>ACCESSORIES FOR NAVPRO SERIES CHARTPLOTTERS</b>		
ENP-REMOTE	Optional Full Function Wireless Remote control works with all NavPro Series units	\$250
GPK-11C	Optional 72 Channel External GPS Smart Antenna for all NavPro Series units	\$259
Digital C Cable	Adapts ALL versions of the CVS-106 Transducers to units that use the new CHIRP Transducers	\$50
Digital D Cable	Adapts ALL versions of the CX Transducers to units that use the new CHIRP Transducers	\$75
<b>LARGE FORMAT GPS CHARTPLOTTER</b>		
TRAWLPLOT 12 SD	Professional Chart plotter with 12.1" daylight readable display, W/GPK-11 GPS sensor. Large internal memory	\$2,799
	Additional track storage on SD card slot. Uses C-Map Max C-Card Format (Not included)	
<b>GPS RECEIVERS</b>		
GPS-915	GPS Navigator with Color LCD Display, built-in SBAS differential GPS receiver.	\$699
35282640	Power Cable for GPS-915	\$50
GA-08	GPS Antenna w/33' Coax Cable	\$150
<b>GPS SATELLITE COMPASSES/HEADING SENSORS</b>		
Vector200-2	GNSS Sat Compass NMEA 2000 w/heave, pitch and roll. Comes with Pole Mount, N2K cable is not included	\$1,599
Vector200-0	GNSS Sat Compass NMEA 0183 w/heave, pitch and roll. Comes with 15m cable and Pole Mount	\$2,099
Vector Pro G2	GPS/GLONASS Sat. Compass, IMO approved, 1 to 20Hz Hdg output, NMEA-0183 & 2000, w/15m cable	\$3,499
Vector Pro G1	GPS/GLONASS SAT Compass, 1-20Hz Hdg output, Heave, Pitch & Roll, NMEA 2000, w/6m cable	\$2,899
	Optional 30m cable for Vector Pro G1/G2	\$600
<b>AIS</b>		
MDA-1	CLASS B AIS 2 watt Transceiver, HF-AIS, built in GPS Ant. NMEA-0183, NMEA-2000, & USB Interfaces	\$699
MDA-1-ANT	External Antenna for MDA-1	\$120
MDA-2	Dual Channel Parallel AIS Receiver, NMEA-0183, NMEA-2000, & USB interfaces.	\$379
MDA-3	Zero Loss VHF Antenna splitter, Includes all cables & output for FM broadcast receiver.	\$349
MDA-5	Hi-Power 5w SOTDMA Class B AIS Transceiver w/ Built-in Ant. Splitter, Wi-Fi, NMEA-0183, NMEA-2000,	\$1,299

	Isolated USB Interfaces, w/ Internal & External GPS Antennas. Also Includes 30 Day Voyage Data Recorder	
<b>MDA-5H</b>	MDA-5 less Wi-Fi	\$1,099
<b>SAS-300-1</b>	7" Color LCD, 2w Class B AIS Transceiver with Internal GPS Antenna, includes C-MAP 4DCard.	\$1,749
<b>SAS-300-2</b>	7" Color LCD, 2w Class B AIS Transceiver with External GPS Antenna 10m cable, includes C-MAP 4D Card	\$1,829
<b>SAS-300-3</b>	7" Color LCD AIS Display Only (For Interface to a pre-existing AIS) includes C-MAP 4D Card	\$1,000
<b>SAS-300-4</b>	7" Color LCD, 5w Class B SOTDMA, Wi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ C-MAP 4DCard	\$2,299
<b>SAS-300-5</b>	7" Color LCD, 5w Class B SOTDMA, NonWi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ C-MAP 4D Card	\$2,099
<b>SAS-600</b>	6" Color LCD, 5 watt SOTDMA Class B AIS w/ WIFI, NMEA-2000, 0183, USB, Ext. GPS Ant. C-Map opt.	\$1,899
<b>SAS-900</b>	Class A AIS transceiver features a compact Display AIS transponder unit w/high resolution 6" Color LCD	\$2,399
	CLASS A AIS Transceiver (IMO APPROVED) meets IMO Standard MSC.74(69) Annex 4, etc	
	also meets FCC, USCG, CCNR(Inland AIS), IC,TC standards. 72 channel GPS receiver with external antenna	
	Data Outputs for radar, chart plotter etc., NMEA 0183&2000, RS-232, Long Range WIFI, 10.8 to 31.2 VDC.	
	Bracket or Flush mount. Data cables, Power cable. Support software on CD, GPS Antenna w/10m cable,	
	C-MAP chart optional	
<b>J-900</b>	Optional Junction Box for SAS-900 for IMO/SOLAS Installations	\$425
<b>STAND ALONE RADAR SYSTEMS</b>		
<b>T-760</b>	7" Hybrid Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable	\$2,349
<b>Options for T760 Series - cables are in lieu of standard 10m cable</b>		
<b>CFQ9924-15</b>	15m Radar Interconnect Cable Upgrade for T-760	\$100
<b>CFQ9924-20</b>	20m Radar Interconnect Cable Upgrade for T-760	\$150
<b>CFQ9924-30</b>	30m Radar Interconnect Cable Upgrade for T-760	\$200
<b>T760MBL</b>	Overhead Mount Bracket	\$50
<b>7ZCRD1689</b>	NMEA Interface Cable	\$70
<b>NQA2447-100</b>	VGA Output Kit	\$189
<b>DUAL RANGE / DUAL SPEED RADAR SYSTEMS</b>		
<b>T-941A</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 36NM range, 25" dual range, dual speed Radome	\$3,199
<b>T-940A-3</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 3.5 ft dual range, dual speed open antenna	\$5,999
<b>T-940A-4</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 4.5 ft dual range, dual speed open antenna	\$6,199
<b>*All T-900 Series Radars Include a 10m Radome Interconnect cable, Power Cable and AIS interface w/data cable</b>		
<b>T-2041A</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,999
<b>T-2040A-3</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,799
<b>T-2040A-4</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,999
<b>T-2060A-4</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,999
<b>T-2060A-6</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,299
<b>T-2010A-4</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,799
<b>T-2010A-6</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,099
<b>*All T-2000 Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables</b>		
<b>BLACK BOX RADARS</b>		
<b>T-2041ABB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,799
<b>T-2040A-3BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,599
<b>T-2040A-4BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,799
<b>T-2060A-4BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,799
<b>T-2060A-6BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
<b>T-2010A-4BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,699
<b>T-2010A-6BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
<b>*All T-2000BB Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables</b>		

		LIST PRICE
<b>T-900 AND T-2000 SERIES OPTIONS</b>		
MRE-340	Automatic Tracking Aid (ATA) PCB for T940/941. (CW-376-5M & Compass required)	\$349
CW-561-10	Interconnect cable to connect remote display to main unit (Includes two 10 pin plugs & 33 ft cable)	\$299
<b>Optional Extended Antenna Cable Lengths for T-900 &amp; T2000 Series:</b>		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
<b>RADARpc FOR USE WITH ROSEPOINT COASTAL EXPLORER &amp; ROSEPOINT ECS SOFTWARE (PURCHASED SEPARATELY)</b>		
T-1105R	4kW output, 1/8NM to 36NM range, 25" Radome	\$4,299
T-1104R-3	4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099
T-1104R-4	4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299
T-1104R-6	4kW output, 1/8NM to 48NM range, 6 ft. dual spd. open ant	\$6,799
T-1106R-4	6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,599
T-1106R-6	6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
T-1112R-4	12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,499
T-1112R-6	12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
T-1112R-9	12kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$9,599
T-1125R-4	25kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$9,499
T-1125R-6	25kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,999
T-1125R-9	25kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$10,599
T-11R	Bought separately for adding to an existing radar.	\$1,900
<b>Optional Extended Antenna Cable Lengths (Standard Cables are 33 ft)</b>		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
<b>DIGITAL GAUGES</b>		
<b>SST-110 Sea Water Temperature Indicator</b>		
SST-110	SST-110 Sea Water Temperature Indicator Only (no transducer)	\$399
SST-110TM	SST-110 Sea Water Indicator with transom mount temperature probe	\$499
SST-110TS	SST-110 Sea Water Indicator with bronze thru-hull mount temperature probe	\$549
<b>SST-110 Temperature Sensors</b>		
TM200-30	Transom mount temperature probe (30K Ohm)	\$100
TS200-30	Thru-hull Bronze temperature probe (30K Ohm) 5/16" Dia.	\$150
TS-SS-200-30	Thru-hull Stainless Commercial thru-hull Temperature probe (30K Ohm) 5/16" Dia.	\$250
<b>SDD-110 Digital Deth Indicator, 120kHz Deep Water Digital Sounder</b>		
SDD-110	SDD-110 Seawater Depth Indicator Only (No Transducer)	\$429
SDD-110TM	SDD-110 w/ 250/120 Transom Mount Transducer 120khz, 38' deg. beam angle	\$569
SDD-110FM-P	SDD-110 w/ 408/120 2" Lexan Low Profile Thru-hull 120khz, 38' deg. beam angle	\$549
SDD-110TH-B	SDD-110 w 1700/120 Bronze Thru Hull Transducer 120khz, 38' deg. beam angle	\$589
<b>NMEA Repeater</b>		
KRD-10	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$699
<b>BINOCULARS</b>		
28100699	SIRIUS12 Stabilized Binoculars	\$699
<b>AUTOPILOT SYSTEMS</b>		
<b>SP-120C Virtual Feedback Systems</b>		
SP120C-VF-1	SP120 Color System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$2,399
SP120C-VF-2	SP120 Color System w/ 9 Axis Compass, Virtual Feedback & 18CI reversing Hyd. Pump	\$2,899
<b>SP-120C Rudder Feedback Systems</b>		
SP120C-RF-1	SP120 Color System w/ 9 Axis Compass, Rudder Feedback, No Drive Unit	\$2,699
SP120C-RF-2	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & 18CI reversing Hyd. Pump	\$3,199
SP120C-RF-3	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type S" Dash Drive	\$3,799
SP120C-RF-4	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type T" Dash Drive	\$3,899
SP120C-RF-5	SP120 Color System w/ 9 Axis Compass, RFB & Remote Drive 1994+ Mercury IO / Volvo	\$4,199
SP120C-RF-6	SP120 Color System w/ 9 Axis Compass, Remote Drive 1983-93 Mercury IO / Volvo Diesel	\$4,399

<b>SP-120C Mechanical Sail Drive Systems w/RFB</b>		<b>LIST PRICE</b>
<b>SP120C-RF-9</b>	SP120C Color System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,999
<b>SP120CSD-1</b>	SP-120C Color System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$4,399
<b>SP120CSD-2</b>	SP-120C Color System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$4,499
<b>SP-110/120 Accessories</b>		
<b>SP120CH</b>	SP-120 Replacement Control Head	\$1,200
<b>SP120CCH</b>	SP-120C Replacement Control Head	\$1,700
<b>SP120EC</b>	SP-120/110 Replacement Rate Compass	\$650
<b>RFUS110</b>	SP-110 Rotary Rudder Feedback Unit	\$350
<b>RFULINASS</b>	Rotary Feedback Linkage Kit	\$140
<b>SMC-50P-100</b>	Motor Controller Module 30A/12-24VDC for use with SP120 & SP120C and 18CI and 30CI Pumps	\$150
<b>CABGPS110</b>	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations	\$50
<b>CAB47RFU</b>	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units	\$200
<b>SP-70 AUTOPILOTS SYSTEMS</b>		
<b>SP-70-1</b>	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,999
<b>SP-70 WITH MECHANICAL DRIVES</b>		
<b>SP-70-7</b>	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,999
<b>SP-70-8</b>	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$4,199
<b>SP-70-9</b>	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$4,699
<b>SP-80 AUTOPILOT SYSTEMS</b>		
<b>SP-80-1</b>	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,999
<b>SP-80 WITH MECHANICAL DRIVES</b>		
<b>SP-80-7</b>	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,999
<b>SP-80-8</b>	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$4,199
<b>SP-80-9</b>	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$4,699
<b>HYDRAULIC PUMPS AND DRIVES</b>		
<b>81167</b>	18CI Hydraulic pump, 12 VDC	\$650
<b>OCTAFG1012</b>	18CI Reversing Pumpset, 12 VDC	\$550
<b>81783</b>	30CI Hydraulic pump, 12 VDC	\$775
<b>SP-70/80 Accessories</b>		
<b>20080009</b>	SP-70 Control head only	\$700
<b>20080011</b>	SP-80 Control head only	\$750
<b>10080034</b>	SP-70 Remote station kit - 30' Bulkhead connection cable kit only	\$135
<b>10080035</b>	SP-70 Second station kit, Includes SP70 Control Head w/30' cable	\$850
<b>10080038</b>	SP-80 Second station kit with 25' cable	\$1,000
<b>65610010</b>	Mounting clip for SP-70 Control head	\$45
<b>30080003</b>	SP-70/80 Processor Black Box	\$1,800
<b>20320003</b>	Fluxgate compass with 50ft Cable	\$750
<b>20320002</b>	Compass Pick-off Sensor	\$650
<b>20330008</b>	Inboard rotary rudder feedback with 50ft Cable	\$750
<b>20330007</b>	Inboard rotary rudder feedback linkage kit	\$175
<b>SRA-1</b>	Rudder Angle Indicator for SP-70 and SP-80	\$750
<b>66553</b>	SRA-1 bezel kit	\$50
<b>SP-38 INBOARD PACKAGES WITHOUT PUMPS</b>		
<b>SP38-2</b>	Core Pack including Flux Gate Compass & Rotary feedback, No pump	6099
<b>SP38-3</b>	Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump	5999
<b>SP38-4</b>	Core Pack including Rotary feedback only, No compass, No pump	5199
<b>SP38-17</b>	Core Pack Only, No Rotary feedback, No compass, No pump (SP-70 Upgrade Kit)	4799
<b>SP38-18</b>	Core Pack including Vector200-2 NMEA 2000 GPS Compass & Rotary feedback, No pump	6499
<b>SP-38 Accessories</b>		
<b>20310025</b>	TS203 Full Follow Up Remote Lever for SP-36 & SP-38 Pilot Systems w/ 40 ft of Cable	1500

20310002	NFU Jog Switch with single set of switches for SP-36 & SP-38									600
20350001	CT-2 Motor Controller for use with NFU Jog lever and a reversing Hyd. Pump									1200
TS38	SP38 N2K Full followup remote 6M cable									1600
NF38	SP38 N2K Non followup remote 6M cable									1600
20110013	SP38 N2K Second station kit w/ 25' cable									2800
<b>HYDRAULIC PUMPS AND DRIVES</b>										
OCTAFG1012	18CI reversing gear pumpset, 12 VDC									\$600
81167	18 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 10 to 18 cubic inch)									\$700
81783	30 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 18 to 30 cubic Inch)									\$850
<b>GENERAL AUTOPILOT ACCESSORIES</b>										
SRS-100	Universal Wireless Jog Control System. Can be added to most any autopilot system (not a wireless pilot control)									\$250
OC17SUK42	30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all Hyd. Fittings									\$249
OC17SUK34	Verado Power Steering Installation Kit Including All Hoses									\$449
223346R2	12vdc Variable Flow Solenoid Valve System									\$1,199
OC17SUK03	Unbalanced Hydraulic Ram Compensator Valve									\$250
OC15SUK27A	Rudder Feedback for Mechanical Drive units									\$349
OC15SUK27E	Rudder Feedback for Mechanical Drive units for the SP-110									\$349
OC15SUK16	3/4" Black Anodized Aluminum Spacer Rings for Dash Drives									\$119
OCTSIMDMSRW	Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters									\$1,299
OCTSIMDTPRW	Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback,w/ Cable adapters									\$1,399
OCTAFMDRESYS*	Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit									\$1,599
OCTAFMDRSSYS	Mechanical Linear Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 Lbs)									\$1,999
<i>*Specify whether A or B versions from Autopilot Drive Brochure</i>										
<b>REPLACEMENT TRANSDUCERS</b>										
<b>Part#</b>	<b>Power</b>	<b>Beam Angle</b>	<b>Housing</b>	<b>Mount</b>	<b>Plug</b>	<b>Cable</b>	<b>Temp</b>	<b>Speed</b>	<b>For SI-TEX Model</b>	
<b>SINGLE FREQUENCY 120kHz</b>										
250/120	300W	38°	Plastic	TM	8-pin	30'	No	No	SDD-110 Digital Depth	\$140
1700/120	300W	38°	Bronze	TH	8-pin	30'	No	No	SDD-110 Digital Depth	\$160
408P/120	300W	38'	Plastic	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$120
250/120ST	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106,106MkII,106L,106LMkII	\$150
<b>SINGLE FREQUENCY 200kHz</b>										
1700/200T8P	300W	9°	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIA, Profish III	\$175
<b>DUAL FREQUENCY 50/200kHz</b>										
492/50/200ST-ES	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$300
494/50/200-ES	500W	50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No	EC5F, EC7F, ES502	\$275
496/50/200ST-ES	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$300
B-60-0-ES for 0° to 7° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$500
B-60-12-ES for 8° to 15° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$500
B-60-20-ES for 16° to 24° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$500
1700/50/200T	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIDF,106L, 106LMkII,832	\$170
500/50/200ST	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L, 106LMkII, 832, 833	\$350
307/50/200T-CX	600W	22°x45°@50 kHz 6°x11°@200 kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$285
500/50/200ST-CX	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$400
B-60-0-CX for 0° to 7° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$500
B-60-12-CX for 8° to 15° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$500

<b>B-60-20-CX for 16° to 24° deadrise</b>	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$500
<b>707/50/200T-CX</b>	1kW	14°x21°@50 kHz 3°x5°@200k Hz	Bronze	TH	8-pin	30'	Yes	No	CVS128 & CVS-1410 (For Deep Water)	\$525
<b>B-164-0-CX for 0° to 7° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,600
<b>B-164-12-CX for 8° to 15° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,600
<b>B-164-20-CX for 16° to 24° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,600
<b>TRANSDUCER/SOUNDER/GPS ACCESSORIES</b>										
<b>Digital A Cable</b>	Adapts ALL CVS106 50/200 txd's with 8-pin round connector to SVS & CVS Series									\$50
<b>Digital A Cable-3</b>	Adapts old style 3 pin Fuji connector to 8 pin Conxall									\$60
<b>TS200</b>	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs									\$100
<b>810-15</b>	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$60
<b>810-30</b>	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$70
<b>810-15-CX</b>	15' extension cable with 8-pin conxall plugs									\$80
<b>810-30-CX</b>	30' extension cable with 8-pin conxall plugs									\$120
<b>PU-634</b>	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II									\$20