



STAND ALONE DIGITAL SOUNDERS (USES "CX" TRANSDUCERS SOLD SEPARATELY)		LIST PRICE
CVS-126	Dual Frequency 600 Watt, 5.7" Color TFT LCD Digital Sonar System	\$699.00
SVS-760	Dual Frequency 600 Watt, 7" Color TFT LCD Digital Sonar System	\$749.00
CVS-128	Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$1,699.00
CVS-1410	Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$2,299.00
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$27.00
Digital A Cable	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type TDs	\$50.00
Digital F Cable	Converts Furuno Dual Freq. txd. with 10 pin connector to units that use the CX 8 pin type TD.	\$130.00
GPS CHARTPLOTTERS WITH SONAR (USES "CX" TRANSDUCERS SOLD SEPARATELY)		
SVS-560CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Internal GPS Ant. & Navionics + Card	\$699.00
SVS-560CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$749.00
SVS-760CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int and Ext GPS Ant. & Navionics + Card	\$999.00
SVS-880CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,199.00
SVS-880CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$1,249.00
SVS-1010CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,799.00
SVS-1010CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/ Int & Ext GPS Ant. & Navionics + Card	\$1,849.00
CX TRANSDUCERS FOR THE CVS SERIES, SVS SERIES AND NAVSTAR SERIES		
250/50/200ST-CX	600W Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$150.00
1700/50/200T-CX	600W Bronze TH w/ temp 45° @ 50kHz, 11° @ 200kHz	\$170.00
B45/50/200T-CX	600W Bronze thru-hull w/ Temp incl. Hi-Spd Fairing Block (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	\$275.00
307/50/200T-CX	600W Bronze thru-hull w/temp only (Beam angle: 22°x45° @ 50kHz, 6°x11° @ 200kHz)	\$270.00
B-60-0-CX	600W Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$300.00
B-60-12-CX	600W Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$300.00
B-60-20-CX	600W Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$300.00
500/50/200ST-CX	600W Bronze thru-hull w/Speed & Temperature (Dual Stem) (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$300.00
B744V-CX	600W Bronze thru-hull w/Spd. & Temp. includes Hi-Spd Fairing (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	\$425.00
250C/50/200ST-CX	1kW, Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$200.00
707/50/200T-CX	1kW, Bronze w/temp recommended for deep water use (Beam angle:14°x21°@50kHz,3°x5°@200kHz)	\$500.00
B-164-0-CX	1kW. Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$999.00
B-164-12-CX	1kW. Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$999.00
B-164-20-CX	1kW. Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$999.00
STAND ALONE GPS CHARTPLOTTERS		
SVS-460C	GPS Standalone Chart Plotter System, 4" Color TFT LCD includes	\$499.00
SVS-460CE	GPS Standalone Chart Plotter System, 4" Color TFT LCD w/Int and Ext GPS Antenna & Navionics+ Map Card	\$549.00
SVS-760C	GPS Standalone Chart Plotter System, 7" Color TFT LCD w/Ext GPS Antenna and Navionics+ Card	\$799.00
SVS-880C	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$999.00
SVS-880CE	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int and Ext GPS Antenna & Navionics + Map Card	\$1,049.00
SVS-1010C	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$1,599.00
SVS-1010CE	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/ IntGPS Antenna & Navionics + Map Card	\$1,649.00
DIGITAL SOUNDER/ CHART/ GPS COMBO UNIT ACCESSORIES		
HD-1000R	Wireless RF Remote for all SVS-880 and SVS-1010 Series products	\$150.00
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$27.00
5511	Power Cord for all SVS & NavStar Products	\$30.00
SVS880FMK	Flush Mount Bezel kit for all versions of the SVS-880's	\$40.00
SVS1010FMK	Flush Mount Bezel kit for all versions of the SVS-1010's	\$40.00
GA-88	Replacement External GPS Antenna for SVS & NavStar Series w/ 10 meter cable	\$60.00
NAVPRO SERIES MULTI-FUNCTION CHART PLOTTERS w/ Wi-Fi		
NavPro 900 w/Wi-Fi	9" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Navionics+ Card	\$999.00
NavPro 900F w/Wi-Fi	9" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Navionics+ Card	\$1,199.00
NavPro 1200 w/Wi-Fi	12" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Navionics+ Card	\$2,199.00
NavPro 1200F w/Wi-Fi	12" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Navionics+ Card	\$2,399.00
Explorer NavPro Wi-Fi	Black Box MFD w/Wifi. HDMI Video Output. No GPS Antenna. Uses Navionics or CMAP, sold separately.	\$799.00
Explorer Navpro Wi-Fi-W	Black Box MFD w/Wifi. HDMI Video Output. w/GPK-11 GPS Antenna. Navionics or CMAP, sold separately	\$1,059.00
Wi-Fi RADAR		
MDS-12Wi-Fi	4kW Hi-Resolution Digital Radar, 24" radome w/ 10m cable & WiFi Junction box, for use with all Navpro products	\$1,599.00
BLACKBOX CHIRP SOUNDER		
SCS-1000	Black Box CHIRP fishfinder 600W or 1kW for NavPro Series without built-in fishfinder	\$699.00
ACCESSORIES FOR NAVPRO SERIES CHARTPLOTTERS		LIST PRICE
ENP-REMOTE	Optional Full Function Wireless Remote control works with all NavPro Series units	\$150.00
GPK-11C	Optional 72 Channel External GPS Smart Antenna for all NavPro Series units	\$259.00
Digital C Cable	Adapts ALL versions of the CVS-106 Transducers to units that use the new CHIRP Transducers	\$50.00
Digital D Cable	Adapts ALL versions of the CX Transducers to units that use the new CHIRP Transducers	\$60.00
Digital E Cable	Adapts Furuno 10 pin Transducer connector to units that use the new CHIRP Transducers	\$130.00

CHIRP TRANSDUCERS FOR NAVPRO SERIES		LIST PRICE
SITEX B150M-0	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$375.00
SITEX B150M-12	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$375.00
SITEX B150M-20	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$375.00
SITEX TM150M	300 watt, Frequency 95 - 155 kHz Transom mount	\$325.00
SITEX B75L-0	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750.00
SITEX B75L-12	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750.00
SITEX B75L-20	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750.00
SITEX B75M-0	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$800.00
SITEX B75M-12	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$800.00
SITEX B75M-20	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$800.00
SITEX B75H-0	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750.00
SITEX B75H-12	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750.00
SITEX B75H-20	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750.00
SITEX B175L-0	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400.00
SITEX B175L-12	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400.00
SITEX B175L-20	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400.00
SITEX B175M-0	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400.00
SITEX B175M-12	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400.00
SITEX B175M-20	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400.00
SITEX B175HW-0	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise, Wide beam	\$1,450.00
SITEX B175HW-12	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise, Wide beam	\$1,450.00
SITEX B175HW-20	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise, Wide beam	\$1,450.00
LARGE FORMAT GPS CHARTPLOTTER		
TRAWLPLOT 12 SD	Professional Chart plotter with 12.1" daylight readable display, W/GPK-11 GPS sensor. Large internal memory Additional track storage on SD card slot. Uses C-Map Max C-Card Format (Not included)	\$2,799.00
LEGACY CHARTING SYSTEM ACCESSORIES		
K10QDB001A	Quick Disconnect Bracket for ColorMax 6, ColorMax Wide I and E	\$70.00
CBCHMS0700	Video Adapter Cable for all Explorer and Explorer Plus series units	\$30.00
CBC0FS0804	I/O and Power cable with 8-pin connector for All Sitex units using an 8 pin power cord.	\$30.00
CBC0FS0301	I/O and Power cable with 3-pin connector for Sitex ColorMax 15	\$30.00
GPS RECEIVERS		
GPS-915	GPS Navigator with Color LCD Display, built-in SBAS differential GPS receiver.	\$549.00
GPK-11C	72 Channel, NMEA 0183 18Hz Output, GPS Smart Antenna	\$259.00
SIT-5PC	Power Cable for GPS-90MkII	\$30.00
GA-08	GPS Antenna w/ Coax Cable	\$150.00
GPS SATELLITE COMPASSES/HEADING SENSORS		
Vector200-2	GNSS Sat Compass NMEA 2000 w/heave, pitch and roll. Comes with Pole Mount, N2K cable is not included	\$1,599.00
Vector200-0	GNSS Sat Compass NMEA 0183 w/heave, pitch and roll. Comes with 15m cable and Pole Mount	\$1,999.00
Vector Pro G2	GPS/GLONASS Sat. Compass, IMO approved, 1 to 20Hz Hdg output, NMEA-0183 & 2000, w/15m cable	\$2,399.00
Vector Pro G1	GPS/GLONASS SAT Compass, 1-20Hz Hdg output, Heave, Pitch & Roll, NMEA-0183 and 2000, w/15m cable	\$1,999.00
Optional 30m cable for Vector Pro G1/G2		\$200.00
AIS		
MDA-1	CLASS B AIS 2 watt Transceiver, HF-AIS, built in GPS Ant. NMEA-0183, NMEA-2000, & USB Interfaces	\$699.00
MDA-1-ANT	External Antenna for MDA-1	\$60.00
MDA-2	Dual Channel Parallel AIS Receiver, NMEA-0183, NMEA-2000, & USB interfaces.	\$329.00
MDA-3	Zero Loss VHF Antenna splitter, Includes all cables & output for FM broadcast receiver.	\$279.00
MDA-5	Hi-Power 5w SOTDMA Class B AIS Transceiver w/ Built-in Ant. Splitter, Wi-Fi, NMEA-0183, NMEA-2000, Isolated USB Interfaces, w/ Internal & External GPS Antennas. Also Includes 30 Day Voyage Data Recorder	\$989.00
SAS-300-1	7" Color LCD, 2w Class B AIS Transceiver with Internal GPS Antenna, includes Navionics+ Card.	\$1,399.00
SAS-300-2	7" Color LCD, 2w Class B AIS Transceiver with External GPS Antenna 10m cable, includes Navionics+ Card	\$1,489.00
SAS-300-3	7" Color LCD AIS Display Only (For Interface to a pre-existing AIS) includes Navionics+ Card	\$800.00
SAS-300-4	7" Color LCD, 5w Class B SOTDMA, Wi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ Navionics+ Card	\$1,689.00
SAS-600	6" Color LCD, 5 watt SOTDMA Class B AIS w/ WIFI, NMEA-2000, 0183, USB, Ext. GPS Ant. C-Map opt.	\$1,299.00
SAS-900	Class A AIS transceiver features a compact Display AIS transponder unit w/high resolution 6" Color LCD CLASS A AIS Transceiver (IMO APPROVED) meets IMO Standard MSC.74(69) Annex 4, etc also meets FCC, USCG, CCNR(Inland AIS), IC,TC standards. 72 channel GPS receiver with external antenna Data Outputs for radar, chart plotter etc., NMEA 0183&2000, RS-232, Long Range WIFI, 10.8 to 31.2 VDC. Bracket or Flush mount. Data cables, Power cable. Support software on CD, GPS Antenna w/10m cable, C-MAP chart optional	\$2,399.00
		LIST PRICE
J-900	Optional Junction Box for SAS-900 for IMO/SOLAS Installations	\$425.00
STAND ALONE RADAR SYSTEMS		
T-760	7" Hybrid Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable	\$1,999.00
Options for T760 Series:		

CFQ9924-15	15m Radar Interconnect Cable Upgrade for T-760	\$100.00
CFQ9924-20	20m Radar Interconnect Cable Upgrade for T-760	\$150.00
CFQ9924-30	30m Radar Interconnect Cable Upgrade for T-760	\$200.00
T760MBL	Overhead Mount Bracket	\$40.00
7ZCRD1689	NMEA Interface Cable	\$70.00
NQA2447-100	VGA Output Kit	\$175.00
DUAL RANGE / DUAL SPEED RADAR SYSTEMS		LIST PRICE
T-941A	8.5" Color LCD Radar, 4kW output, 1/16NM to 36NM range, 25" dual range, dual speed Radome	\$2,999.00
T-940A-3	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 3.5 ft dual range, dual speed open antenna	\$5,499.00
T-940A-4	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 4.5 ft dual range, dual speed open antenna	\$5,699.00
*All T-900 Series Radars Include a 10m Radome Interconnect cable, Power Cable and AIS interface w/data cable		
T-2041A	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,599.00
T-2040A-3	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,399.00
T-2040A-4	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,599.00
T-2060A-4	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,599.00
T-2060A-6	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$7,799.00
T-2010A-4	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,399.00
T-2010A-6	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,599.00
*All T-2000 Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables		
BLACK BOX RADARS		
T-2041ABB	Black Box, VGA 4:3, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,299.00
T-2040A-3BB	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099.00
T-2040A-4BB	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299.00
T-2060A-4BB	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,299.00
T-2060A-6BB	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$7,699.00
T-2010A-4BB	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,099.00
T-2010A-6BB	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,499.00
*All T-2000BB Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables		
T-900 AND T-2000 SERIES OPTIONS		
MRE-340	Automatic Tracking Aid (ATA) PCB for T940/941. (CW-376-5M & Compass required)	\$349.00
CW-561-10	Interconnect cable to connect remote display to main unit (Includes two 10 pin plugs & 33 ft cable)	\$299.00
Optional Extended Antenna Cable Lengths for T-900 & T2000 Series:		
49' Interconnect Cable Upgrade		\$100.00
65' Interconnect Cable Upgrade		\$200.00
100' Interconnect Cable Upgrade		\$400.00
RADARpc FOR USE WITH ROSEPOINT COASTAL EXPLORER & ROSEPOINT ECS SOFTWARE (PURCHASED SEPARATELY)		
T-1105R	4kW output, 1/8NM to 36NM range, 25" Radome	\$4,299.00
T-1104R-3	4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099.00
T-1104R-4	4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299.00
T-1104R-6	4kW output, 1/8NM to 48NM range, 6 ft. dual spd. open ant	\$6,799.00
T-1106R-4	6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,599.00
T-1106R-6	6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099.00
T-1112R-4	12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,499.00
T-1112R-6	12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999.00
T-1112R-9	12kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$9,599.00
T-1125R-4	25kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$9,499.00
T-1125R-6	25kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,999.00
T-1125R-9	25kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$10,599.00
T-11R	Bought separately for adding to an existing radar.	\$1,900.00
Optional Extended Antenna Cable Lengths (Standard Cables are 33 ft)		
49' Interconnect Cable Upgrade		\$100.00
65' Interconnect Cable Upgrade		\$200.00
100' Interconnect Cable Upgrade		\$400.00
DIGITAL GAUGES		
SST-110 Sea Water Temperature Indicator		LIST PRICE
SST-110	SST-110 Sea Water Temperature Indicator Only (no transducer)	\$349.00
SST-110TM	SST-110 Sea Water Indicator with transom mount temperature probe	\$409.00
SST-110TS	SST-110 Sea Water Indicator with bronze thru-hull mount temperature probe	\$449.00
SST-110 Temperature Sensors		
TM200-30	Transom mount temperature probe (30K Ohm)	\$60.00
TS200-30	Thru-hull Bronze temperature probe (30K Ohm) 5/16" Dia.	\$100.00
TS-SS-200-30	Thru-hull Stainless Commercial thru-hull Temperature probe (30K Ohm) 5/16" Dia.	\$200.00
SDD-110 Digital Deth Indicator, 120kHz Deep Water Digital Sounder		

SSD-110	SDD-110 Seawater Depth Indicator Only (No Transducer)	\$399.00
SDD-110TM	SDD-110 w/ 250/120 Transom Mount Transducer 120khz, 38' deg. beam angle	\$529.00
SDD-110FM-P	SDD-110 w/ 408/120 2" Lexan Low Profile Thru-hull 120khz, 38' deg. beam angle	\$509.00
SDD-110FM-B	SDD-110 w/ 408/120 2" Bronze Low Profile Thru-hull 120khz, 38' deg beam angle	\$649.00
SDD-110TH-B	SDD-110 w 1700/120 Bronze Thru Hull Transducer 120khz, 38' deg. beam angle	\$539.00
NMEA Repeater		
KRD-10	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$499.00
AUTOPILOT SYSTEMS		
SP-120 Virtual Feedback Systems		LIST PRICE
SP120VF-1	SP110 System with Virtual Feedback, No Drive Unit	\$1,599.00
SP120VF-2	SP110 System with Virtual Feedback & 18CI reversing Hyd. Pump	\$2,099.00
SP120C-VF-1	SP120 Color System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$1,799.00
SP120C-VF-2	SP120 Color System w/ 9 Axis Compass, Virtual Feedback & 9CI reversing Hyd. Pump	\$2,299.00
SP-120 Rudder Feedback Systems		
SP120RF-1	SP110 System with Rudder Feedback, No Drive Unit	\$1,899.00
SP120RF-2	SP110 System with Rudder Feedback & 9CI reversing Hyd. Pump	\$2,399.00
SP120RF-3	SP110 System with Rudder Feedback & "Type S" Mechanical Dash Drive	\$3,199.00
SP120RF-4	SP110 System with Rudder Feedback & "Type T" Mechanical Dash Drive	\$3,299.00
SP120RF-5	SP110 System with RFB & Remote Mechanical Drive - 1994+ Mercury IO / Volvo Gas	\$3,299.00
SP120RF-6	SP110 System with RFB & Remote Mechanical Drive - 1983-93 Mercury IO / Volvo Diesel	\$3,299.00
SP120C-RF-1	SP120 Color System w/ 9 Axis Compass, Rudder Feedback, No Drive Unit	\$2,149.00
SP120C-RF-2	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & 9CI reversing Hyd. Pump	\$2,599.00
SP120C-RF-3	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type S" Dash Drive	\$3,399.00
SP120C-RF-4	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type T" Dash Drive	\$3,499.00
SP120C-RF-5	SP120 Color System w/ 9 Axis Compass, RFB & Remote Drive 1994+ Mercury IO / Volvo	\$3,499.00
SP120C-RF-6	SP120 Color System w/ 9 Axis Compass, Remote Drive 1983-93 Mercury IO / Volvo Diesel	\$3,499.00
SP-120 Mechanical Sail Drive Systems w/RFB		
SP120-RF-9	SP120 System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,299.00
SP120SD-1	SP-120 System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$3,599.00
SP120SD-2	SP-120 System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$3,599.00
SP120C-RF-9	SP120C Color System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,499.00
SP120CSD-1	SP-120C Color System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$3,599.00
SP120CSD-2	SP-120C Color System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$3,599.00
SP-110/120 Accessories		
SP110CH	SP-110 Replacement Control Head	\$1,000.00
SP110CCH	SP-110C Replacement Control Head	\$1,250.00
SP120CH	SP-120 Replacement Control Head	\$1,000.00
SP120CCH	SP-120C Replacement Control Head	\$1,250.00
SP110EC	SP-110 Replacement Rate Compass	\$450.00
SP120EC	SP-120 Replacement Rate Compass	\$450.00
RFUS110	SP-110 Rotary Rudder Feedback Unit	\$400.00
RFULINASS	Rotary Feedback Linkage Kit	\$125.00
SMC-50P-100	Motor Controller Module 30A/12-24VDC for use with SP120 & SP120C and 18CI and 30CI Pumps	\$150.00
CABGPS110	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations	\$50.00
CAB47RFU	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units	\$250.00
SP-70 AUTOPILOTS SYSTEMS		
SP-70-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,099.00
SP-70-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,299.00
SP-70 WITH MECHANICAL DRIVES		LIST PRICE
SP-70-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,099.00
SP-70-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,199.00
SP-70-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$3,499.00
SP-80 AUTOPILOT SYSTEMS		
SP-80-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,099.00
SP-80-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,299.00
SP-80 WITH MECHANICAL DRIVES		
SP-80-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,099.00
SP-80-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,199.00
SP-80-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$3,499.00
HYDRAULIC PUMPS AND DRIVES		
OCTAFG6012	9CI Reversing Pumpset, 12 VDC	\$425.00
81167	18CI Hydraulic pump, 12 VDC	\$550.00

OCTAFG1012	18CI Reversing Pumpset, 12 VDC	\$475.00							
81783	30CI Hydraulic pump, 12 VDC	\$675.00							
OCTAF CRA0212	30CI Constant Running Pumpset, 12VDC, (Includes Flow Control & Pressure Gauge)	\$2,295.00							
OCTAF1212LAM12	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)	\$1,899.00							
SP-70/80 Accessories									
20080009	SP-70 Control head only	\$500.00							
20080011	SP-80 Control head only	\$550.00							
10080034	SP-70 Remote station kit - 30' Bulkhead connection cable kit only	\$110.00							
10080035	SP-70 Second station kit, Includes SP70 Control Head w/30' cable	\$600.00							
10080038	SP-80 Second station kit with 25' cable	\$725.00							
65610010	Mounting clip for SP-70 Control head	\$35.00							
30080003	SP-70/80 Processor Black Box	\$1,200.00							
20320003	Fluxgate compass with 50ft Cable	\$550.00							
20320002	Compass Pick-off Sensor	\$450.00							
20330008	Inboard rotary rudder feedback with 50ft Cable	\$575.00							
20330007	Inboard rotary rudder feedback linkage kit	\$140.00							
20330017	Teleflex Smartstick Linear Feedback includes RFB interface module	\$600.00							
20330016	Teleflex Smartstick RFB Interface module	\$100.00							
SRA-1	Rudder Angle Indicator for SP-70 and SP-80	\$550.00							
66553	SRA-1 bezel kit	\$35.00							
SP-38 INBOARD PACKAGES WITHOUT PUMPS									
SP38-2	Core Pack including Flux Gate Compass & Rotary feedback, No pump	\$3,299.00							
SP38-3	Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump	\$3,199.00							
SP38-4	Core Pack including Rotary feedback only, No compass, No pump	\$2,999.00							
SP38-17	Core Pack Only, No Rotary feedback, No compass, No pump (SP-70 Upgrade Kit)	\$2,599.00							
SP38-18	Core Pack including Vector200-2 NMEA 2000 GPS Compass & Rotary feedback, No pump	\$3,899.00							
SP-38/SP-36 ACCESSORIES									
20110013	SP-36 Second station kit w/ 25' cable	\$1,699.00							
31110037	SP-36 Control Head Interconnect Cable - 25ft	\$239.00							
20350008	CT7 Thruster/Z-Drive Interface Processor	\$1,399.00							
20310025	TS203 Full Follow Up Remote Lever for SP-36 & SP-38 Pilot Systems w/ 40 ft of Cable	\$1,400.00							
20310002	NFU Jog Switch with single set of switches for SP-36 & SP-38	\$500.00							
20350001	CT-2 Motor Controller for use with NFU Jog lever and a reversing Hyd. Pump	\$900.00							
TS38	SP38 N2K Full followup remote 6M cable	\$1,095.00							
NF38	SP38 N2K Non followup remote 6M cable	\$1,095.00							
20110013	SP38 N2K Second station kit w/ 25' cable	\$1,699.00							
30110006	SP36 YOKE Mount kit for control head	\$59.00							
30110022	SP36 Flush Mount kit for control head	\$37.00							
30110023	SP36 Surface Mount kit for control head	\$37.00							
30110019	Plastic Sun Cover for SP36 Control Head	\$37.00							
HYDRAULIC PUMPS AND DRIVES									
OCTAFG6012	9 CI reversing gear pumpset, 12 VDC	\$425.00							
OCTAFG1012	18CI reversing gear pumpset, 12 VDC	\$475.00							
81167	18 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 10 to 18 cubic inch)	\$550.00							
81783	30 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 18 to 30 cubic Inch)	\$675.00							
OCTAF CRA0212	30 C.I. Constant Running Pumpset, 12VDC, (Include. Adj. flow control & pressure gauge)	\$2,599.00							
OCTAF1212LAM12	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)	\$2,199.00							
GENERAL AUTOPILOT ACCESSORIES									
SRS-100	Universal Wireless Jog Control System. Can be added to most any autopilot system (not a wireless pilot control)	\$175.00							
OC17SUK42	30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all Hyd. Fittings	\$199.00							
OC17SUK34	Verado Power Steering Installation Kit Including All Hoses	\$349.00							
223346R2	12vdc Variable Flow Solenoid Valve System	\$1,199.00							
OC17SUK03	Unbalanced Hydraulic Ram Compensator Valve	\$199.00							
OC15SUK27A	Rudder Feedback for Mechanical Drive units	\$279.00							
OC15SUK27E	Rudder Feedback for Mechanical Drive units for the SP-110	\$279.00							
OC15SUK16	3/4" Black Anodized Aluminum Spacer Rings for Dash Drives	\$139.00							
OCTSIMDMSRW	Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters	\$1,099.00							
OCTSIMDTPRW	Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback, w/ Cable adapters	\$1,199.00							
OCTAFMDRESYS*	Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit	\$1,499.00							
OCTAFMDRSSYS	Mechanical Linear Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 Lbs)	\$1,899.00							
*Specify whether A or B versions from Autopilot Drive Brochure									
REPLACEMENT TRANSDUCERS									
Part#	Power	Beam Angle	Housing	Mount	Plug	Cable	Temp	Speed	For SI-TEX Model
SINGLE FREQUENCY 120kHz									

250/120	300W	38°	Plastic	TM	8-pin	30'	No	No	SDD-110 Digital Depth	\$130.00
1700/120	300W	38°	Bronze	TH	8-pin	30'	No	No	SDD-110 Digital Depth	\$140.00
408P/120	300W	38°	Plastic	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$110.00
408BR/120	300W	38°	Bronze	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$250.00
250/120ST	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106,106MkII,106L,106LMkII	\$130.00
1700/120T8P	600W	15°	Bronze	TH	8-pin	30'	Yes	No	CVS106,106MkII,106L,106LMkII	\$150.00
SINGLE FREQUENCY 200kHz										
250/200ST	300W	9°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIA, Profish III	\$150.00
1700/200T8P	300W	9°	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIA, Profish III	\$175.00
DUAL FREQUENCY 50/200kHz										
492/50/200ST-ES	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$175.00
494/50/200-ES	500W	45° @ 50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No	EC5F, EC7F, ES502	\$150.00
496/50/200ST-ES	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$475.00
189/50/200T-ES	1kW	14°x23° @ 50kHz 3°x5°@200kHz	Bronze	TH	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$800.00
B-60-0-ES for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$300.00
B-60-12-ES for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$300.00
B-60-20-ES for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$300.00
250/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L,106LMkII, 832, 833	\$140.00
250C/50/200ST	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS832C,833C	\$190.00
1700/50/200T	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIDF,106L, 106LMkII,832	\$160.00
300/50/200T	600W	43° @ 50kHz 9° @ 200kHz	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209	\$250.00
307/50/200T	1kW	22°x45°@50kHz 6°x11°@200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS832, 832C, 833, 833C	\$270.00
500/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L, 106LMkII, 832, 833	\$300.00
706/50/200T	1kW	14°x20°@50kHz 7° @ 200kHz	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209/210/211	\$700.00
250/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$150.00
1700/50/200T-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$170.00
B45/50/200T-CX w/HS Fairing Block	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$275.00
										LIST PRICE
307/50/200T-CX	600W	22°x45°@50kHz 6°x11°@200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$270.00
500/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$300.00
B744V-CX w/HS Fairing Block	600W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126, 128	\$425.00
B-60-0-CX for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$300.00
B-60-12-CX for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$300.00
B-60-20-CX for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$300.00
250C/50/200ST-CX	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010,CVS-126,128	\$200.00
707/50/200T-CX	1kW	14°x21°@50kHz 3°x5°@200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS128 & CVS-1410 (For Deep Water)	\$500.00
B-164-0-CX for 0° to 7° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$999.00
B-164-12-CX for 8° to 15° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$999.00

B-164-20-CX for 16° to 24° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$999.00
TRANSDUCER/SOUNDER/GPS ACCESSORIES										
Digital A Cable	Adapts ALL CVS106 50/200 txd's with 8-pin round connector to SVS & CVS Series									\$50.00
Digital A Cable-3	Adapts old style 3 pin Fuji connector to 8 pin Conxall									\$50.00
Digital F Cable	Converts Furuno transducers with 10 pin connector to SVS & CVS Series Sounders.									\$130.00
1700FB	White plastic fairing block for 1700 series transducers									\$60.00
TM231	Transom Bracket for 231/200, 231/50, HTM200, and all "236" "250" Series Txd.									\$15.00
TS200	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs									\$90.00
5223-1	Paddle wheel kit for 400/500 series transducers									\$20.00
401-1	25' transducer cable with 8-pin plug to 5-pin & 3-pin plug for 400 series transducers									\$100.00
400-25	Speed temp insert for 400 series transducers									\$75.00
810-15	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$50.00
810-30	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$60.00
810-15-CX	15' extension cable with 8-pin conxall plugs									\$75.00
810-30-CX	30' extension cable with 8-pin conxall plugs									\$120.00
PU-634	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II									\$20.00
SIC-21	Data Interface Cable CVS-106, CVS-106Mk II, CVS-833, Profish II									\$25.00
CN070	6 pin interface plug									\$10.00
CBC0FS0301	3 Pin ColorMax 15 Power Cord									\$30.00
SI-TEX Marine Electronics										
Office hours: 9am to 5pm EST Monday thru Friday										
E-Mail: orders@si-tex.com										
Phone: (631) 996-2690										
Fax: (631) 996-2693										