



STAND ALONE DIGITAL SOUNDERS (USES "CX" TRANSDUCERS SOLD SEPARATELY)		LIST PRICE
CVS-126	Dual Frequency 600 Watt, 5.7" Color TFT LCD Digital Sonar System	\$749
SVS-760	Dual Frequency 600 Watt, 7" Color TFT LCD Digital Sonar System	\$799
CVS-128	Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$1,749
CVS-1410	Dual Frequency 1 kW or 600W, 10.4" Color TFT LCD Digital Sonar - with (KDF) Koden Digital Filtering System	\$2,399
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
Digital A Cable	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type TDs	\$50
Digital F Cable	Converts Furuno Dual Freq. txd. with 10 pin connector to units that use the CX 8 pin type TD.	\$130
GPS CHARTPLOTTERS WITH SONAR (USES "CX" TRANSDUCERS SOLD SEPARATELY)		
SVS-560CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Internal GPS Ant. & Navionics + Card	\$849
SVS-560CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$919
SVS-760CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int and Ext GPS Ant. & Navionics + Card	\$1,099
SVS-880CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,249
SVS-880CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$1,319
SVS-1010CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,899
SVS-1010CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/ Int & Ext GPS Ant. & Navionics + Card	\$1,969
CX TRANSDUCERS FOR THE CVS SERIES, SVS SERIES AND NAVSTAR SERIES		
250/50/200ST-CX	600W Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$170
1700/50/200T-CX	600W Bronze TH w/ temp 45° @ 50kHz, 11° @ 200kHz	\$200
B45/50/200T-CX	600W Bronze thru-hull w/ Temp incl. Hi-Spd Fairing Block (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	\$275
307/50/200T-CX	600W Bronze thru-hull w/temp only (Beam angle: 22°x45° @ 50kHz, 6°x11° @ 200kHz)	\$285
B-60-0-CX	600W Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$350
B-60-12-CX	600W Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$350
B-60-20-CX	600W Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$350
500/50/200ST-CX	600W Bronze thru-hull w/Speed & Temperature (Dual Stem) (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$400
B744V-CX	600W Bronze thru-hull w/Spd. & Temp. includes Hi-Spd Fairing (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	\$425
250C/50/200ST-CX	1kW, Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$215
707/50/200T-CX	1kW, Bronze w/temp recommended for deep water use (Beam angle:14°x21°@50kHz,3°x5°@200kHz)	\$525
B-164-0-CX	1kW. Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,200
B-164-12-CX	1kW. Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,200
B-164-20-CX	1kW. Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,200
STAND ALONE GPS CHARTPLOTTERS		
SVS-460C	GPS Standalone Chart Plotter System, 4" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$649
SVS-460CE	GPS Standalone Chart Plotter System, 4" Color TFT LCD w/Int and Ext GPS Antenna & Navionics+ Map Card	\$719
SVS-760C	GPS Standalone Chart Plotter System, 7" Color TFT LCD w/Ext GPS Antenna and Navionics+ Card	\$949
SVS-880C	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$1,199
SVS-880CE	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int and Ext GPS Antenna & Navionics + Map Card	\$1,269
SVS-1010C	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$1,799
SVS-1010CE	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/ IntGPS Antenna & Navionics + Map Card	\$1,869
DIGITAL SOUNDER/ CHART/ GPS COMBO UNIT ACCESSORIES		
HD-1000R	Wireless RF Remote for all SVS-880 and SVS-1010 Series products	\$150
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
5511	Power Cord for all SVS & NavStar Products	\$30
SVS880FMK	Flush Mount Bezel kit for all versions of the SVS-880's	\$40
SVS1010FMK	Flush Mount Bezel kit for all versions of the SVS-1010's	\$40
GA-88	Replacement External GPS Antenna for SVS & NavStar Series w/ 10 meter cable	\$70
NAVPRO SERIES MULTI-FUNCTION CHART PLOTTERS w/ Wi-Fi		
NavPro 900 w/Wi-Fi	9" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Navionics+ Card	\$1,099
NavPro 900F w/Wi-Fi	9" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Navionics+ Card	\$1,299
NavPro 1200 w/Wi-Fi	12" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Navionics+ Card	\$2,299
NavPro 1200F w/Wi-Fi	12" Touch Screen GPS/Chart plotter with CHIRP Sounder. Int GPS Antenna. Wi-Fi. Includes Navionics+ Card	\$2,499
Explorer NavPro Wi-Fi	Black Box MFD w/Wifi. HDMI Video Output. No GPS Antenna. Uses Navionics or CMAP, sold separately.	\$899
Explorer Navpro Wi-Fi-W	Black Box MFD w/Wifi. HDMI Video Output. w/GPK-11 GPS Antenna. Navionics or CMAP, sold separately	\$1,159
Wi-Fi RADAR		
MDS-12Wi-Fi	4kW Hi-Resolution Digital Radar, 24" radome w/ 10m cable & WiFi Junction box, for use with all Navpro products	\$1,799
BLACKBOX CHIRP SOUNDER		
SCS-1000	Black Box CHIRP fishfinder 600W or 1kW for NavPro Series without built-in fishfinder	\$499
ACCESSORIES FOR NAVPRO SERIES CHARTPLOTTERS		
ENP-REMOTE	Optional Full Function Wireless Remote control works with all NavPro Series units	\$200
GPK-11C	Optional 72 Channel External GPS Smart Antenna for all NavPro Series units	\$259
Digital C Cable	Adapts ALL versions of the CVS-106 Transducers to units that use the new CHIRP Transducers	\$50
Digital D Cable	Adapts ALL versions of the CX Transducers to units that use the new CHIRP Transducers	\$75
Digital E Cable	Adapts Furuno 10 pin Transducer connector to units that use the new CHIRP Transducers	\$140

CHIRP TRANSDUCERS FOR NAVPRO SERIES		
SITEX B150M-0	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$375
SITEX B150M-12	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$375
SITEX B150M-20	300 watt, Frequency 95 - 155 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$375
SITEX TM150M	300 watt, Frequency 95 - 155 kHz Transom mount	\$325
SITEX B75L-0	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750
SITEX B75L-12	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750
SITEX B75L-20	600 watt, Frequency 40 - 75 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750
SITEX B75M-0	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$800
SITEX B75M-12	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$800
SITEX B75M-20	600 watt, Frequency 80 - 130 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$800
SITEX B75H-0	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$750
SITEX B75H-12	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$750
SITEX B75H-20	600 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$750
SITEX B175L-0	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400
SITEX B175L-12	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400
SITEX B175L-20	1000 watt, Frequency 130 - 210 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400
SITEX B175M-0	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise	\$1,400
SITEX B175M-12	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise	\$1,400
SITEX B175M-20	1000 watt, Frequency 85 - 135 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise	\$1,400
SITEX B175HW-0	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 0 - 7 degree hull deadrise, Wide beam	\$1,450
SITEX B175HW-12	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 8 - 15 degree hull deadrise, Wide beam	\$1,450
SITEX B175HW-20	1000 watt, Frequency 150 - 250 kHz Flush mount bronze thru hull, 16 - 24 degree hull deadrise, Wide beam	\$1,450
LARGE FORMAT GPS CHARTPLOTTER		
TRAWLPLOT 12 SD	Professional Chart plotter with 12.1" daylight readable display, W/GPK-11 GPS sensor. Large internal memory Additional track storage on SD card slot. Uses C-Map Max C-Card Format (Not included)	\$2,799
LEGACY CHARTING SYSTEM ACCESSORIES		
K10QDB001A	Quick Disconnect Bracket for ColorMax 6, ColorMax Wide I and E	\$70
CBCHMS0700	Video Adapter Cable for all Explorer and Explorer Plus series units	\$30
CBCOFS0804	I/O and Power cable with 8-pin connector for All Sitex units using an 8 pin power cord.	\$30
CBCOFS0301	I/O and Power cable with 3-pin connector for Sitex ColorMax 15	\$30
GPS RECEIVERS		
GPS-915	GPS Navigator with Color LCD Display, built-in SBAS differential GPS receiver.	\$699
GPK-11C	72 Channel, NMEA 0183 18Hz Output, GPS Smart Antenna	\$259
SIT-5PC	Power Cable for GPS-90MkII	\$30
GA-08	GPS Antenna w/33' Coax Cable	\$150
GPS SATELLITE COMPASSES/HEADING SENSORS		
Vector200-2	GNSS Sat Compass NMEA 2000 w/heave, pitch and roll. Comes with Pole Mount, N2K cable is not included	\$1,599
Vector200-0	GNSS Sat Compass NMEA 0183 w/heave, pitch and roll. Comes with 15m cable and Pole Mount	\$1,999
Vector Pro G2	GPS/GLONASS Sat. Compass, IMO approved, 1 to 20Hz Hdg output, NMEA-0183 & 2000, w/15m cable	\$2,999
Vector Pro G1	GPS/GLONASS SAT Compass, 1-20Hz Hdg output, Heave, Pitch & Roll, NMEA-0183 and 2000, w/15m cable	\$2,499
Optional 30m cable for Vector Pro G1/G2		\$200
AIS		
MDA-1	CLASS B AIS 2 watt Transceiver, HF-AIS, built in GPS Ant. NMEA-0183, NMEA-2000, & USB Interfaces	\$749
MDA-1-ANT	External Antenna for MDA-1	\$80
MDA-2	Dual Channel Parallel AIS Receiver, NMEA-0183, NMEA-2000, & USB interfaces.	\$349
MDA-3	Zero Loss VHF Antenna splitter, Includes all cables & output for FM broadcast receiver.	\$299
MDA-5	Hi-Power 5w SOTDMA Class B AIS Transceiver w/ Built-in Ant. Splitter, Wi-Fi, NMEA-0183, NMEA-2000, Isolated USB Interfaces, w/ Internal & External GPS Antennas. Also Includes 30 Day Voyage Data Recorder	\$1,049
MDA-5H	MDA-5 less Wi-Fi	\$899
SAS-300-1	7" Color LCD, 2w Class B AIS Transceiver with Internal GPS Antenna, includes Navionics+ Card.	\$1,599
SAS-300-2	7" Color LCD, 2w Class B AIS Transceiver with External GPS Antenna 10m cable, includes Navionics+ Card	\$1,669
SAS-300-3	7" Color LCD AIS Display Only (For Interface to a pre-existing AIS) includes Navionics+ Card	\$1,000
SAS-300-4	7" Color LCD, 5w Class B SOTDMA, Wi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ Navionics+ Card	\$1,949
SAS-600	6" Color LCD, 5 watt SOTDMA Class B AIS w/ WIFI, NMEA-2000, 0183, USB, Ext. GPS Ant. C-Map opt.	\$1,599
SAS-900	CLASS A AIS transceiver features a compact Display AIS transponder unit w/high resolution 6" Color LCD also meets FCC, USCG, CCNR(Inland AIS), IC,TC standards. 72 channel GPS receiver with external antenna Data Outputs for radar, chart plotter etc., NMEA 0183&2000, RS-232, Long Range WIFI, 10.8 to 31.2 VDC. Bracket or Flush mount. Data cables, Power cable. Support software on CD, GPS Antenna w/10m cable, C-MAP chart optional	\$2,499
J-900	Optional Junction Box for SAS-900 for IMO/SOLAS Installations	\$425
STAND ALONE RADAR SYSTEMS		
T-760	7" Hybrid Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable	\$2,349
Options for T760 Series:		
CFQ9924-15	15m Radar Interconnect Cable Upgrade for T-760	\$100
CFQ9924-20	20m Radar Interconnect Cable Upgrade for T-760	\$150
CFQ9924-30	30m Radar Interconnect Cable Upgrade for T-760	\$200
T760MBL	Overhead Mount Bracket	\$40
7ZCRD1689	NMEA Interface Cable	\$70
NQA2447-100	VGA Output Kit	\$175

DUAL RANGE / DUAL SPEED RADAR SYSTEMS		
T-941A	8.5" Color LCD Radar, 4kW output, 1/16NM to 36NM range, 25" dual range, dual speed Radome	\$3,199
T-940A-3	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 3.5 ft dual range, dual speed open antenna	\$5,999
T-940A-4	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 4.5 ft dual range, dual speed open antenna	\$6,199
*All T-900 Series Radars Include a 10m Radome Interconnect cable, Power Cable and AIS interface w/data cable		
T-2041A	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,999
T-2040A-3	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,799
T-2040A-4	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,999
T-2060A-4	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd.open ant	\$7,999
T-2060A-6	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,299
T-2010A-4	10.4" Color LCD Radar,12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,799
T-2010A-6	10.4" Color LCD Radar,12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,099
*All T-2000 Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables		
BLACK BOX RADARS		
T-2041ABB	Black Box, VGA 4:3, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,799
T-2040A-3BB	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,599
T-2040A-4BB	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,799
T-2060A-4BB	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd.open ant	\$7,799
T-2060A-6BB	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
T-2010A-4BB	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,699
T-2010A-6BB	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
*All T-2000BB Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables		
T-900 AND T-2000 SERIES OPTIONS		
MRE-340	Automatic Tracking Aid (ATA) PCB for T940/941. (CW-376-5M & Compass required)	\$349
CW-561-10	Interconnect cable to connect remote display to main unit (Includes two 10 pin plugs &33 ft cable)	\$299
Optional Extended Antenna Cable Lengths for T-900 & T2000 Series:		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
RADARpc FOR USE WITH ROSEPOINT COASTAL EXPLORER & ROSEPOINT ECS SOFTWARE (PURCHASED SEPARATELY)		
T-1105R	4kW output, 1/8NM to 36NM range, 25" Radome	\$4,299
T-1104R-3	4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099
T-1104R-4	4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299
T-1104R-6	4kW output, 1/8NM to 48NM range, 6 ft. dual spd. open ant	\$6,799
T-1106R-4	6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd.open ant	\$7,599
T-1106R-6	6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
T-1112R-4	12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,499
T-1112R-6	12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
T-1112R-9	12kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$9,599
T-1125R-4	25kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$9,499
T-1125R-6	25kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,999
T-1125R-9	25kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$10,599
T-11R	Bought separately for adding to an existing radar.	\$1,900
Optional Extended Antenna Cable Lengths (Standard Cables are 33 ft)		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
DIGITAL GAUGES		
SST-110 Sea Water Temperature Indicator		
SST-110	SST-110 Sea Water Temperature Indicator Only (no transducer)	\$399
SST-110TM	SST-110 Sea Water Indicator with transom mount temperature probe	\$474
SST-110TS	SST-110 Sea Water Indicator with bronze thru-hull mount temperature probe	\$519
SST-110 Temperature Sensors		
TM200-30	Transom mount temperature probe (30K Ohm)	\$75
TS200-30	Thru-hull Bronze temperature probe (30K Ohm) 5/16" Dia.	\$120
TS-SS-200-30	Thru-hull Stainless Commercial thru-hull Temperature probe (30K Ohm) 5/16" Dia.	\$225
SDD-110 Digital Deth Indicator, 120kHz Deep Water Digital Sounder		
SSD-110	SDD-110 Seawater Depth Indicator Only (No Transducer)	\$429
SDD-110TM	SDD-110 w/ 250/120 Transom Mount Transducer 120khz, 38' deg. beam angle	\$569
SDD-110FM-P	SDD-110 w/ 408/120 2" Lexan Low Profile Thru-hull 120khz, 38' deg. beam angle	\$549
SDD-110FM-B	SDD-110 w/ 408/120 2" Bronze Low Profile Thru-hull 120khz, 38' deg beam angle	\$679
SDD-110TH-B	SDD-110 w 1700/120 Bronze Thru Hull Transducer 120khz, 38' deg. beam angle	\$589
NMEA Repeater		
KRD-10	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$499
AUTOPILOT SYSTEMS		
SP-120 Virtual Feedback Systems		
SP120VF-1	SP120 Black & White System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$1,799

SP120VF-2	SP120 Black & White System w/ 9 Axis Compass, Virtual Feedback & 18CI reversing Hyd. Pump	\$2,299
SP120C-VF-1	SP120 Color System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$1,999
SP120C-VF-2	SP120 Color System w/ 9 Axis Compass, Virtual Feedback & 18CI reversing Hyd. Pump	\$2,499
SP-120 Rudder Feedback Systems		
SP120RF-1	SP110 System with Rudder Feedback, No Drive Unit	\$2,199
SP120RF-2	SP110 System with Rudder Feedback & 9CI reversing Hyd. Pump	\$2,699
SP120RF-3	SP110 System with Rudder Feedback & "Type S" Mechanical Dash Drive	\$3,499
SP120RF-4	SP110 System with Rudder Feedback & "Type T" Mechanical Dash Drive	\$3,599
SP120RF-5	SP110 System with RFB & Remote Mechanical Drive - 1994+ Mercury IO / Volvo Gas	\$3,799
SP120RF-6	SP110 System with RFB & Remote Mechanical Drive - 1983-93 Mercury IO / Volvo Diesel	\$3,799
SP120C-RF-1	SP120 Color System w/ 9 Axis Compass, Rudder Feedback, No Drive Unit	\$2,399
SP120C-RF-2	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & 9CI reversing Hyd. Pump	\$2,899
SP120C-RF-3	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type S" Dash Drive	\$3,699
SP120C-RF-4	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type T" Dash Drive	\$3,799
SP120C-RF-5	SP120 Color System w/ 9 Axis Compass, RFB & Remote Drive 1994+ Mercury IO / Volvo	\$3,999
SP120C-RF-6	SP120 Color System w/ 9 Axis Compass, Remote Drive 1983-93 Mercury IO / Volvo Diesel	\$3,999
SP-120 Mechanical Sail Drive Systems w/RFB		
SP120-RF-9	SP120 System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,599
SP120SD-1	SP-120 System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$3,899
SP120SD-2	SP-120 System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$3,899
SP120C-RF-9	SP120C Color System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,799
SP120CSD-1	SP-120C Color System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$4,099
SP120CSD-2	SP-120C Color System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$4,099
SP-110/120 Accessories		
SP110CH	SP-110 Replacement Control Head	\$1,200
SP110CCH	SP-110C Replacement Control Head	\$1,300
SP120CH	SP-120 Replacement Control Head	\$1,200
SP120CCH	SP-120C Replacement Control Head	\$1,400
SP110EC	SP-110 Replacement Rate Compass	\$500
SP120EC	SP-120 Replacement Rate Compass	\$650
RFUS110	SP-110 Rotary Rudder Feedback Unit	\$350
RFULINASS	Rotary Feedback Linkage Kit	\$125
SMC-50P-100	Motor Controller Module 30A/12-24VDC for use with SP120 & SP120C and 18CI and 30CI Pumps	\$150
CABGPS110	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations	\$50
CAB47RFU	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units	\$250
SP-70 AUTOPILOTS SYSTEMS		
SP-70-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,299
SP-70-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,499
SP-70 WITH MECHANICAL DRIVES		
SP-70-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,499
SP-70-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,599
SP-70-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$3,899
SP-80 AUTOPILOT SYSTEMS		
SP-80-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,299
SP-80-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,499
SP-80 WITH MECHANICAL DRIVES		
SP-80-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,499
SP-80-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,599
SP-80-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$3,899
HYDRAULIC PUMPS AND DRIVES		
81167	18CI Hydraulic pump, 12 VDC	\$650
OCTAFG1012	18CI Reversing Pumpset, 12 VDC	\$550
81783	30CI Hydraulic pump, 12 VDC	\$775
OCTAFCR0212	30CI Constant Running Pumpset, 12VDC, (Includes Flow Control & Pressure Gauge)	\$2,395
OCTAF1212LAM12	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)	\$1,995
SP-70/80 Accessories		
20080009	SP-70 Control head only	\$600
20080011	SP-80 Control head only	\$650
10080034	SP-70 Remote station kit - 30' Bulkhead connection cable kit only	\$135
10080035	SP-70 Second station kit, Includes SP70 Control Head w/30' cable	\$700
10080038	SP-80 Second station kit with 25' cable	\$800
65610010	Mounting clip for SP-70 Control head	\$35
30080003	SP-70/80 Processor Black Box	\$1,200
20320003	Fluxgate compass with 50ft Cable	\$600
20320002	Compass Pick-off Sensor	\$500
20330008	Inboard rotary rudder feedback with 50ft Cable	\$650
20330007	Inboard rotary rudder feedback linkage kit	\$140
20330017	Teleflex Smartstick Linear Feedback includes RFB interface module	\$800
20330016	Teleflex Smartstick RFB Interface module	\$135
SRA-1	Rudder Angle Indicator for SP-70 and SP-80	\$550
66553	SRA-1 bezel kit	\$50

SP-38 INBOARD PACKAGES WITHOUT PUMPS										
SP38-2	Core Pack including Flux Gate Compass & Rotary feedback, No pump									\$3,299
SP38-3	Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump									\$3,199
SP38-4	Core Pack including Rotary feedback only, No compass, No pump									\$2,999
SP38-17	Core Pack Only, No Rotary feedback, No compass, No pump (SP-70 Upgrade Kit)									\$2,599
SP38-18	Core Pack including Vector200-2 NMEA 2000 GPS Compass & Rotary feedback, No pump									\$3,899
SP-38/SP-36 ACCESSORIES										
20110013	SP-36 Second station kit w/ 25' cable									\$1,699
31110037	SP-36 Control Head Interconnect Cable - 25ft									\$239
20350008	CT7 Thruster/Z-Drive Interface Processor									\$1,399
20310025	TS203 Full Follow Up Remote Lever for SP-36 & SP-38 Pilot Systems w/ 40 ft of Cable									\$1,400
20310002	NFU Jog Switch with single set of switches for SP-36 & SP-38									\$500
20350001	CT-2 Motor Controller for use with NFU Jog lever and a reversing Hyd. Pump									\$900
TS38	SP38 N2K Full followup remote 6M cable									\$1,095
NF38	SP38 N2K Non followup remote 6M cable									\$1,095
20110013	SP38 N2K Second station kit w/ 25' cable									\$1,699
30110006	SP36 YOKE Mount kit for control head									\$59
30110022	SP36 Flush Mount kit for control head									\$37
30110023	SP36 Surface Mount kit for control head									\$37
30110019	Plastic Sun Cover for SP36 Control Head									\$37
HYDRAULIC PUMPS AND DRIVES										
OCTAFG1012	18CI reversing gear pumpset, 12 VDC									\$650
81167	18 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 10 to 18 cubic inch)									\$550
81783	30 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 18 to 30 cubic Inch)									\$775
OCTAFORA0212	30 C.I. Constant Running Pumpset, 12VDC, (Include. Adj. flow control & pressure gauge)									\$2,395
OCTAF1212LAM12	Hydraulic Linear Sailboat Drive - 12" Stroke (Up to 60ft or 33,000 Lbs)									\$1,995
GENERAL AUTOPILOT ACCESSORIES										
SRS-100	Universal Wireless Jog Control System. Can be added to most any autopilot system (not a wireless pilot control)									\$175
OC17SUK42	30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all Hyd. Fittings									\$219
OC17SUK34	Verado Power Steering Installation Kit Including All Hoses									\$399
223346R2	12vdc Variable Flow Solenoid Valve System									\$1,199
OC17SUK03	Unbalanced Hydraulic Ram Compensator Valve									\$250
OC15SUK27A	Rudder Feedback for Mechanical Drive units									\$299
OC15SUK27E	Rudder Feedback for Mechanical Drive units for the SP-110									\$299
OC15SUK16	3/4" Black Anodized Aluminum Spacer Rings for Dash Drives									\$139
OCTSMDMSRW	Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters									\$1,199
OCTSMDTPRW	Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback,w/ Cable adapters									\$1,299
OCTAFMDRESYS*	Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit									\$1,499
OCTAFMDRSSYS	Mechanical Linear Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 Lbs)									\$1,899
<i>*Specify whether A or B versions from Autopilot Drive Brochure</i>										
REPLACEMENT TRANSDUCERS										
Part#	Power	Beam Angle	Housing	Mount	Plug	Cable	Temp	Speed	For SI-TEX Model	
SINGLE FREQUENCY 120kHz										
250/120	300W	38°	Plastic	TM	8-pin	30'	No	No	SDD-110 Digital Depth	\$140
1700/120	300W	38°	Bronze	TH	8-pin	30'	No	No	SDD-110 Digital Depth	\$160
408P/120	300W	38'	Plastic	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$120
408BR/120	300W	38'	Bronze	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$250
250/120ST	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106,106MkII,106L,106LMkII	\$150
1700/120T8P	600W	15°	Bronze	TH	8-pin	30'	Yes	No	CVS106,106MkII,106L,106LMkII	\$175
SINGLE FREQUENCY 200kHz										
250/200ST	300W	9°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIA, Profish III	\$150
1700/200T8P	300W	9°	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIA, Profish III	\$175

DUAL FREQUENCY 50/200kHz										
492/50/200ST-ES	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$200
494/50/200-ES	500W	45° @ 50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No	EC5F, EC7F, ES502	\$225
496/50/200ST-ES	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$300
B-60-0-ES for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$350
B-60-12-ES for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$350
B-60-20-ES for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$350
250/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L,106LMkII, 832, 833	\$150
250C/50/200ST	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS832C,833C	\$220
1700/50/200T	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIDF,106L, 106LMkII,832	\$170
300/50/200T	600W	43° @ 50kHz 9° @ 200kHz	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209	\$285
307/50/200T	1kW	22°x45°@50 kHz 6°x11°@200 kHz	Bronze	TH	8-pin	30'	Yes	No	CVS832, 832C, 833, 833C	\$280
500/50/200ST	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L, 106LMkII, 832, 833	\$350
706/50/200T	1kW	14°x20°@50 kHz 7° @ 200kHz	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209/210/211	\$800
250/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$170
1700/50/200T-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$200
B45/50/200T-CX w/HS Fairing Block	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$275
307/50/200T-CX	600W	22°x45°@50 kHz 6°x11°@200 kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$285
500/50/200ST-CX	600W	45° @ 50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$400
B744V-CX w/HS Fairing Block	600W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126, 128	\$425
B-60-0-CX for 0° to 7° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$350

B-60-12-CX for 8° to 15° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$350
B-60-20-CX for 16° to 24° deadrise	600W	45° @ 50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$350
250C/50/200ST-CX	1kW	45° @ 50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010, CVS-126,128	\$215
707/50/200T-CX	1kW	14°x21°@50 kHz 3°x5°@200k Hz	Bronze	TH	8-pin	30'	Yes	No	CVS128 & CVS-1410 (For Deep Water)	\$525
B-164-0-CX for 0° to 7° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,200
B-164-12-CX for 8° to 15° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,200
B-164-20-CX for 16° to 24° deadrise	1kW	22° @ 50kHz 6° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,200
TRANSDUCER/SOUNDER/GPS ACCESSORIES										
Digital A Cable	Adapts ALL CVS106 50/200 txd's with 8-pin round connector to SVS & CVS Series									\$50
Digital A Cable-3	Adapts old style 3 pin Fuji connector to 8 pin Conxall									\$60
Digital F Cable	Converts Furuno transducers with 10 pin connector to SVS & CVS Series Sounders.									\$130
1700FB	White plastic fairing block for 1700 series transducers									\$60
TM231	Transom Bracket for 231/200, 231/50, HTM200, and all "236" "250" Series Txd.									\$15
TS200	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs									\$100
5223-1	Paddle wheel kit for 400/500 series transducers									\$30
401-1	25' transducer cable with 8-pin plug to 5-pin & 3-pin plug for 400 series transducers									\$100
400-25	Speed temp insert for 400 series transducers									\$75
810-15	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$60
810-30	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$70
810-15-CX	15' extension cable with 8-pin conxall plugs									\$80
810-30-CX	30' extension cable with 8-pin conxall plugs									\$120
PU-634	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II									\$20
SIC-21	Data Interface Cable CVS-106, CVS-106Mk II, CVS-833, Profish II									\$25
CN070	6 pin interface plug									\$15
CBC0FS0301	3 Pin ColorMax 15 Power Cord									\$30
SI-TEX Marine Electronics										
Office hours: 9am to 5pm EST Monday thru Friday										
E-Mail: orders@si-tex.com										
Phone: (631) 996-2690										
Fax: (631) 996-2693										