

<b>STAND ALONE DIGITAL SOUNDERS (USES "CX" TRANSDUCERS SOLD SEPARATELY)</b>		<b>LIST PRICE</b>
CVS-126	Dual Frequency 600 Watt, 5.7" Color TFT LCD Digital Sonar System	\$799
SVS-760	Dual Frequency 600 Watt, 7" Color TFT LCD Digital Sonar System	\$899
CVS-128	Dual Frequency 1 kW or 600W, 8.4" Color TFT LCD Digital Sonar - with (KDF) Kodon Digital Filtering System	\$1,849
CVS-1410	Dual Frequency 1 kW or 600W, 10.4" Color TFT LCD Digital Sonar - with (KDF) Kodon Digital Filtering System	\$2,499
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
Digital A Cable	Adapts ALL versions of the CVS-106 50/200 dual freq. transducers to units that use the CX type TDs	\$50
Digital F Cable	Converts Furuno Dual Freq. txd. with 10 pin connector to units that use the CX 8 pin type TD.	\$130
<b>GPS CHARTPLOTTERS WITH SONAR (USES "CX" TRANSDUCERS SOLD SEPARATELY)</b>		
SVS-560CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Internal GPS Ant. & Navionics + Card	\$849
SVS-560CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$919
SVS-760CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 5" Color LCD w/Int and Ext GPS Ant. & Navionics + Card	\$1,099
SVS-880CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,299
SVS-880CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 8" Color LCD w/Int & Ext GPS Ant. & Navionics + Card	\$1,379
SVS-1010CF	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/Int GPS Ant. & Navionics + Card	\$1,899
SVS-1010CFE	GPS Chart - Dual Freq. 600W Digital Sonar System, 10" Color LCD w/ Int & Ext GPS Ant. & Navionics + Card	\$1,969
<b>CX TRANSDUCERS FOR THE CVS SERIES, SVS SERIES AND NAVSTAR SERIES</b>		
250/50/200ST-CX	600W Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$170
1700/50/200T-CX	600W Bronze TH w/ temp 45° @ 50kHz, 11° @ 200kHz	\$200
307/50/200T-CX	600W Bronze thru-hull w/temp only (Beam angle: 22°x45° @ 50kHz, 6°x11° @ 200kHz)	\$285
B-60-0-CX	600W Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$400
B-60-12-CX	600W Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$400
B-60-20-CX	600W Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:45°@50kHz,12° @200kHz)	\$400
500/50/200ST-CX	600W Bronze thru-hull w/Speed & Temperature (Dual Stem) (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$400
B744V-CX	600W Bronze thru-hull w/Spd. & Temp. includes Hi-Spd Fairing (Beam angle: 45° @ 50kHz, 12° @ 200kHz)	\$425
250C/50/200ST-CX	1kW, Transom w/temp and speed (Beam angle: 45° @ 50kHz, 11° @ 200kHz)	\$215
707/50/200T-CX	1kW, Bronze w/temp recommended for deep water use (Beam angle:14°x21°@50kHz,3°x5°@200kHz)	\$525
B-164-0-CX	1kW, Bronze 0° tilt-element w/temp for 0° to 7° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,350
B-164-12-CX	1kW, Bronze 12° tilt-element w/temp for 8° to 15° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,350
B-164-20-CX	1kW, Bronze 20° tilt-element w/temp for 16° to 24° hull deadrise (Beam angle:22°@50kHz, 6°@200kHz)	\$1,350
<b>STAND ALONE GPS CHARTPLOTTERS</b>		
SVS-460C	GPS Standalone Chart Plotter System, 4" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$649
SVS-460CE	GPS Standalone Chart Plotter System, 4" Color TFT LCD w/Int and Ext GPS Antenna & Navionics+ Map Card	\$719
SVS-760C	GPS Standalone Chart Plotter System, 7" Color TFT LCD w/Ext GPS Antenna and Navionics+ Card	\$949
SVS-880C	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$1,199
SVS-880CE	GPS Standalone Chart Plotter System, 8" Color TFT LCD w/Int and Ext GPS Antenna & Navionics + Map Card	\$1,269
SVS-1010C	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/Int GPS Antenna & Navionics + Map Card	\$1,799
SVS-1010CE	GPS Standalone Chart Plotter System, 10" Color TFT LCD w/ IntGPS Antenna & Navionics + Map Card	\$1,869
<b>DIGITAL SOUNDER/ CHART/ GPS COMBO UNIT ACCESSORIES</b>		
HD-1000R	Wireless RF Remote for all SVS-880 and SVS-1010 Series products	\$150
650MBL	Optional overhead mounting Bracket for SVS-760, 750, & 650 series displays	\$30
5511	Power Cord for all SVS & NavStar Products	\$30
SVS880FMK	Flush Mount Bezel kit for all versions of the SVS-880's	\$40
SVS1010FMK	Flush Mount Bezel kit for all versions of the SVS-1010's	\$40
GA-88	Replacement External GPS Antenna for SVS & NavStar Series w/ 10 meter cable	\$70
<b>NAVPRO SERIES MULTI-FUNCTION CHART PLOTTERS w/ Wi-Fi</b>		
NavPro 900 w/Wi-Fi	9" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Polaris Chart Card	\$1,099
NavPro 900F w/Wi-Fi	9" Touch Screen GPS/Chart plotter with <b>CHIRP</b> Sounder. Int GPS Antenna. Wi-Fi. Includes Polaris Chart Card	\$1,299
NavPro 1200 w/Wi-Fi	12" Touch Screen GPS/Chart plotter with Wi-Fi, w/Int GPS antenna. Includes Polaris Chart Card	\$2,299
NavPro 1200F w/Wi-Fi	12" Touch Screen GPS/Chart plotter with <b>CHIRP</b> Sounder. Int GPS Antenna. Wi-Fi. Includes Polaris Chart Card	\$2,499
Explorer NavPro Wi-Fi	Black Box MFD w/Wifi. HDMI Video Output. No GPS Antenna. Uses Polaris, Navionics or CMAP, sold separately.	\$899
Explorer Navpro Wi-Fi-W	Black Box MFD w/Wifi. HDMI Video Output. w/GPK-11 GPS Antenna. Polaris, Navionics or CMAP - not included	\$1,159
<b>Wi-Fi RADAR</b>		
MDS-12Wi-Fi	4kW Hi-Resolution Digital Radar, 24" radome w/ 10m cable & WiFi Junction box, for use with all Navpro products	\$2,199
<b>BLACKBOX CHIRP SOUNDER</b>		
SCS-1000	Black Box CHIRP fishfinder 600W or 1kW for NavPro Series without built-in fishfinder	\$499
<b>ACCESSORIES FOR NAVPRO SERIES CHARTPLOTTERS</b>		
ENP-REMOTE	Optional Full Function Wireless Remote control works with all NavPro Series units	\$250
GPK-11C	Optional 72 Channel External GPS Smart Antenna for all NavPro Series units	\$259
Digital C Cable	Adapts ALL versions of the CVS-106 Transducers to units that use the new CHIRP Transducers	\$50
Digital D Cable	Adapts ALL versions of the CX Transducers to units that use the new CHIRP Transducers	\$75
Digital E Cable	Adapts Furuno 10 pin Transducer connector to units that use the new CHIRP Transducers	\$140
<b>LARGE FORMAT GPS CHARTPLOTTER</b>		
TRAWLPLOT 12 SD	Professional Chart plotter with 12.1" daylight readable display, W/GPK-11 GPS sensor. Large internal memory Additional track storage on SD card slot. Uses C-Map Max C-Card Format (Not included)	\$2,799

<b>LEGACY CHARTING SYSTEM ACCESSORIES</b>		<b>LIST PRICE</b>
<b>K10QDB001A</b>	Quick Disconnect Bracket for ColorMax 6, ColorMax Wide I and E	\$70
<b>CBCHMS0700</b>	Video Adapter Cable for all Explorer and Explorer Plus series units	\$30
<b>CBC0FS0804</b>	I/O and Power cable with 8-pin connector for All Sitex units using an 8 pin power cord.	\$30
<b>CBC0FS0301</b>	I/O and Power cable with 3-pin connector for Sitex ColorMax 15	\$30
<b>GPS RECEIVERS</b>		
<b>GPS-915</b>	GPS Navigator with Color LCD Display, built-in SBAS differential GPS receiver.	\$699
<b>GPK-11C</b>	72 Channel, NMEA 0183 18Hz Output, GPS Smart Antenna	\$259
<b>SIT-5PC</b>	Power Cable for GPS-90MkII	\$30
<b>GA-08</b>	GPS Antenna w/33' Coax Cable	\$150
<b>GPS SATELLITE COMPASSES/HEADING SENSORS</b>		
<b>Vector200-2</b>	GNSS Sat Compass NMEA 2000 w/heave, pitch and roll. Comes with Pole Mount, N2K cable is not included	\$1,599
<b>Vector200-0</b>	GNSS Sat Compass NMEA 0183 w/heave, pitch and roll. Comes with 15m cable and Pole Mount	\$2,099
<b>Vector Pro G2</b>	GPS/GLONASS Sat. Compass, IMO approved, 1 to 20Hz Hdg output, NMEA-0183 & 2000, w/15m cable	\$3,499
<b>Vector Pro G1</b>	GPS/GLONASS SAT Compass, 1-20Hz Hdg output, Heave, Pitch & Roll, NMEA-0183 and 2000, w/15m cable	\$2,699
<b>Optional 30m cable for Vector Pro G1/G2</b>		\$200
<b>AIS</b>		
<b>MDA-1</b>	CLASS B AIS 2 watt Transceiver, HF-AIS, built in GPS Ant. NMEA-0183, NMEA-2000, & USB Interfaces	\$899
<b>MDA-1-ANT</b>	External Antenna for MDA-1	\$100
<b>MDA-2</b>	Dual Channel Parallel AIS Receiver, NMEA-0183, NMEA-2000, & USB interfaces.	\$419
<b>MDA-3</b>	Zero Loss VHF Antenna splitter, Includes all cables & output for FM broadcast receiver.	\$349
<b>MDA-5</b>	Hi-Power 5w SOTDMA Class B AIS Transceiver w/ Built-in Ant. Splitter, Wi-Fi, NMEA-0183, NMEA-2000, Isolated USB Interfaces, w/ Internal & External GPS Antennas. Also Includes 30 Day Voyage Data Recorder	\$1,299
<b>MDA-5H</b>	MDA-5 less Wi-Fi	\$1,099
<b>SAS-300-1</b>	7" Color LCD, 2w Class B AIS Transceiver with Internal GPS Antenna, includes Navionics+ Card.	\$1,749
<b>SAS-300-2</b>	7" Color LCD, 2w Class B AIS Transceiver with External GPS Antenna 10m cable, includes Navionics+ Card	\$1,829
<b>SAS-300-3</b>	7" Color LCD AIS Display Only (For Interface to a pre-existing AIS) includes Navionics+ Card	\$1,000
<b>SAS-300-4</b>	7" Color LCD, 5w Class B SOTDMA, Wi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ Navionics+ Card	\$2,299
<b>SAS-300-5</b>	7" Color LCD, 5w Class B SOTDMA, NonWi-Fi AIS Transceiver w/ext GPS Ant, 10m cable, w/ Navionics+ Card	\$1,999
<b>SAS-600</b>	6" Color LCD, 5 watt SOTDMA Class B AIS w/ WIFI, NMEA-2000, 0183, USB, Ext. GPS Ant. C-Map opt.	\$1,899
<b>SAS-900</b>	Class A AIS transceiver features a compact Display AIS transponder unit w/high resolution 6" Color LCD	\$2,799
	CLASS A AIS Transceiver (IMO APPROVED) meets IMO Standard MSC.74(69) Annex 4, etc	
	also meets FCC, USCG, CCNR(Inland AIS), IC,TC standards. 72 channel GPS receiver with external antenna	
	Data Outputs for radar, chart plotter etc., NMEA 0183&2000, RS-232, Long Range WIFI, 10.8 to 31.2 VDC.	
	Bracket or Flush mount. Data cables, Power cable. Support software on CD, GPS Antenna w/10m cable,	
	C-MAP chart optional	
<b>J-900</b>	Optional Junction Box for SAS-900 for IMO/SOLAS Installations	\$425
<b>STAND ALONE RADAR SYSTEMS</b>		
<b>T-760</b>	7" Hybrid Touch Screen Color LCD 4kW Radar with 18" Radome Antenna incl. 10m cable	\$2,349
<b>Options for T760 Series - cables are in lieu of standard 10m cable</b>		
<b>CFQ9924-15</b>	15m Radar Interconnect Cable Upgrade for T-760	\$100
<b>CFQ9924-20</b>	20m Radar Interconnect Cable Upgrade for T-760	\$150
<b>CFQ9924-30</b>	30m Radar Interconnect Cable Upgrade for T-760	\$200
<b>T760MBL</b>	Overhead Mount Bracket	\$40
<b>7ZCRD1689</b>	NMEA Interface Cable	\$70
<b>NQA2447-100</b>	VGA Output Kit	\$189
<b>DUAL RANGE / DUAL SPEED RADAR SYSTEMS</b>		
<b>T-941A</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 36NM range, 25" dual range, dual speed Radome	\$3,199
<b>T-940A-3</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 3.5 ft dual range, dual speed open antenna	\$5,999
<b>T-940A-4</b>	8.5" Color LCD Radar, 4kW output, 1/16NM to 48NM range, 4.5 ft dual range, dual speed open antenna	\$6,199
<b>*All T-900 Series Radars Include a 10m Radome Interconnect cable, Power Cable and AIS interface w/data cable</b>		
<b>T-2041A</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,999
<b>T-2040A-3</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,799
<b>T-2040A-4</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,999
<b>T-2060A-4</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd.open ant	\$7,999
<b>T-2060A-6</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,299
<b>T-2010A-4</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,799
<b>T-2010A-6</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,099
<b>*All T-2000 Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables</b>		
<b>BLACK BOX RADARS</b>		
<b>T-2041ABB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,799
<b>T-2040A-3BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,599
<b>T-2040A-4BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,799
<b>T-2060A-4BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd.open ant	\$7,799
<b>T-2060A-6BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
<b>T-2010A-4BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,699
<b>T-2010A-6BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
<b>*All T-2000BB Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables</b>		

		LIST PRICE
<b>T-900 AND T-2000 SERIES OPTIONS</b>		
MRE-340	Automatic Tracking Aid (ATA) PCB for T940/941. (CW-376-5M & Compass required)	\$349
CW-561-10	Interconnect cable to connect remote display to main unit (Includes two 10 pin plugs & 33 ft cable)	\$299
<b>Optional Extended Antenna Cable Lengths for T-900 &amp; T2000 Series:</b>		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
<b>RADARpc FOR USE WITH ROSEPOINT COASTAL EXPLORER &amp; ROSEPOINT ECS SOFTWARE (PURCHASED SEPARATELY)</b>		
T-1105R	4kW output, 1/8NM to 36NM range, 25" Radome	\$4,299
T-1104R-3	4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open ant	\$6,099
T-1104R-4	4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open ant	\$6,299
T-1104R-6	4kW output, 1/8NM to 48NM range, 6 ft. dual spd. open ant	\$6,799
T-1106R-4	6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$7,599
T-1106R-6	6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,099
T-1112R-4	12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$8,499
T-1112R-6	12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$8,999
T-1112R-9	12kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$9,599
T-1125R-4	25kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open ant	\$9,499
T-1125R-6	25kW output, 1/8NM to 72NM range, 6 ft. dual spd. open ant	\$9,999
T-1125R-9	25kW output, 1/8NM to 72NM range, 9 ft. dual spd. open ant	\$10,599
T-11R	Bought separately for adding to an existing radar.	\$1,900
<b>Optional Extended Antenna Cable Lengths (Standard Cables are 33 ft)</b>		
49' Interconnect Cable Upgrade		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
<b>DIGITAL GAUGES</b>		
<b>SST-110 Sea Water Temperature Indicator</b>		
SST-110	SST-110 Sea Water Temperature Indicator Only (no transducer)	\$399
SST-110TM	SST-110 Sea Water Indicator with transom mount temperature probe	\$474
SST-110TS	SST-110 Sea Water Indicator with bronze thru-hull mount temperature probe	\$519
<b>SST-110 Temperature Sensors</b>		
TM200-30	Transom mount temperature probe (30K Ohm)	\$75
TS200-30	Thru-hull Bronze temperature probe (30K Ohm) 5/16" Dia.	\$120
TS-SS-200-30	Thru-hull Stainless Commercial thru-hull Temperature probe (30K Ohm) 5/16" Dia.	\$225
<b>SDD-110 Digital Deth Indicator, 120kHz Deep Water Digital Sounder</b>		
SDD-110	SDD-110 Seawater Depth Indicator Only (No Transducer)	\$429
SDD-110TM	SDD-110 w/ 250/120 Transom Mount Transducer 120khz, 38' deg. beam angle	\$569
SDD-110FM-P	SDD-110 w/ 408/120 2" Lexan Low Profile Thru-hull 120khz, 38' deg. beam angle	\$549
SDD-110FM-B	SDD-110 w/ 408/120 2" Bronze Low Profile Thru-hull 120khz, 38' deg beam angle	\$679
SDD-110TH-B	SDD-110 w 1700/120 Bronze Thru Hull Transducer 120khz, 38' deg. beam angle	\$589
<b>NMEA Repeater</b>		
KRD-10	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$599
<b>AUTOPILOT SYSTEMS</b>		
<b>SP-120 Virtual Feedback Systems</b>		
SP120VF-1	SP120 Black & White System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$1,799
SP120VF-2	SP120 Black & White System w/ 9 Axis Compass, Virtual Feedback & 18CI reversing Hyd. Pump	\$2,299
SP120C-VF-1	SP120 Color System w/ 9 Axis Compass, Virtual Feedback, No Drive Unit	\$2,399
SP120C-VF-2	SP120 Color System w/ 9 Axis Compass, Virtual Feedback & 18CI reversing Hyd. Pump	\$2,899
<b>SP-120 Rudder Feedback Systems</b>		
SP120RF-1	SP120 System with Rudder Feedback, No Drive Unit	\$2,199
SP120RF-2	SP120 System with Rudder Feedback & 18CI reversing Hyd. Pump	\$2,699
SP120RF-3	SP120 System with Rudder Feedback & "Type S" Mechanical Dash Drive	\$3,499
SP120RF-4	SP120 System with Rudder Feedback & "Type T" Mechanical Dash Drive	\$3,599
SP120RF-5	SP120 System with RFB & Remote Mechanical Drive - 1994+ Mercury IO / Volvo Gas	\$3,999
SP120RF-6	SP120 System with RFB & Remote Mechanical Drive - 1983-93 Mercury IO / Volvo Diesel	\$3,999
SP120C-RF-1	SP120 Color System w/ 9 Axis Compass, Rudder Feedback, No Drive Unit	\$2,399
SP120C-RF-2	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & 18CI reversing Hyd. Pump	\$2,899
SP120C-RF-3	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type S" Dash Drive	\$3,699
SP120C-RF-4	SP120 Color System w/ 9 Axis Compass, Rudder Feedback & "Type T" Dash Drive	\$3,799
SP120C-RF-5	SP120 Color System w/ 9 Axis Compass, RFB & Remote Drive 1994+ Mercury IO / Volvo	\$4,199
SP120C-RF-6	SP120 Color System w/ 9 Axis Compass, Remote Drive 1983-93 Mercury IO / Volvo Diesel	\$4,199

<b>SP-120 Mechanical Sail Drive Systems w/RFB</b>		<b>LIST PRICE</b>
SP120-RF-9	SP120 System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,599
SP120SD-1	SP-120 System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$3,899
SP120SD-2	SP-120 System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$3,899
SP120C-RF-9	SP120C Color System w/ 9 Axis Compass, RFB & Remote Drive - Inboard Engines	\$3,799
SP120CSD-1	SP-120C Color System w/ RFB & Remote Mechanical Drive - 12" Stroke - 15,400 lbs Disp. (38ft)	\$4,099
SP120CSD-2	SP-120C Color System w/ RFB & Remote Mechanical Drive - 8" Stroke - 15,400 lbs Disp. (38ft)	\$4,099
<b>SP-110/120 Accessories</b>		
SP110CH	SP-110 Replacement Control Head	\$1,100
SP110CCH	SP-110C Replacement Control Head	\$1,300
SP120CH	SP-120 Replacement Control Head	\$1,200
SP120CCH	SP-120C Replacement Control Head	\$1,700
SP110EC	SP-110 Replacement Rate Compass	\$500
SP120EC	SP-120 Replacement Rate Compass	\$650
RFUS110	SP-110 Rotary Rudder Feedback Unit	\$350
RFULINASS	Rotary Feedback Linkage Kit	\$125
SMC-50P-100	Motor Controller Module 30A/12-24VDC for use with SP120 & SP120C and 18CI and 30CI Pumps	\$150
CABGPS110	NMEA-0183 Data Input/Output Cable for Virtual Feedback Installations	\$50
CAB47RFU	RFU Interface Box w/ NMEA-0183 Connections for Mechanical Drive Rudder Feedback Units	\$200
<b>SP-70 AUTOPILOTS SYSTEMS</b>		
SP-70-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,599
SP-70-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,899
<b>SP-70 WITH MECHANICAL DRIVES</b>		
SP-70-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,599
SP-70-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,799
SP-70-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$4,299
<b>SP-80 AUTOPILOT SYSTEMS</b>		
SP-80-1	System with Rotary Rudder Feedback for inboards, No Drive Unit	\$2,599
SP-80-2	System with Linear Rudder Feedback for outboards, No Drive Unit	\$2,899
<b>SP-80 WITH MECHANICAL DRIVES</b>		
SP-80-7	Type "S" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,599
SP-80-8	Type "T" Mechanical Dashboard Drive w/ Built-in Rudder Feedback	\$3,799
SP-80-9	Type "R" Remote Mechanical Drive w/ Built-in Rudder Feedback	\$4,299
<b>HYDRAULIC PUMPS AND DRIVES</b>		
81167	18CI Hydraulic pump, 12 VDC	\$650
OCTAFG1012	18CI Reversing Pumpset, 12 VDC	\$550
81783	30CI Hydraulic pump, 12 VDC	\$775
<b>SP-70/80 Accessories</b>		
20080009	SP-70 Control head only	\$600
20080011	SP-80 Control head only	\$650
10080034	SP-70 Remote station kit - 30' Bulkhead connection cable kit only	\$135
10080035	SP-70 Second station kit, Includes SP70 Control Head w/30' cable	\$700
10080038	SP-80 Second station kit with 25' cable	\$900
65610010	Mounting clip for SP-70 Control head	\$35
30080003	SP-70/80 Processor Black Box	\$1,400
20320003	Fluxgate compass with 50ft Cable	\$650
20320002	Compass Pick-off Sensor	\$500
20330008	Inboard rotary rudder feedback with 50ft Cable	\$700
20330007	Inboard rotary rudder feedback linkage kit	\$140
20330017	Teleflex Smartstick Linear Feedback includes RFB interface module	\$800
20330016	Teleflex Smartstick RFB Interface module	\$135
SRA-1	Rudder Angle Indicator for SP-70 and SP-80	\$700
66553	SRA-1 bezel kit	\$50
<b>SP-38 INBOARD PACKAGES WITHOUT PUMPS</b>		
SP38-2	Core Pack including Flux Gate Compass & Rotary feedback, No pump	\$4,299
SP38-3	Core Pack including Compass pick-off Sensor & Rotary Feedback, No pump	\$4,199
SP38-4	Core Pack including Rotary feedback only, No compass, No pump	\$3,999
SP38-17	Core Pack Only, No Rotary feedback, No compass, No pump (SP-70 Upgrade Kit)	\$3,599
SP38-18	Core Pack including Vector200-2 NMEA 2000 GPS Compass & Rotary feedback, No pump	\$4,899
<b>SP-38/SP-36 ACCESSORIES</b>		
20110013	SP-36 Second station kit w/ 25' cable	\$1,699
31110037	SP-36 Control Head Interconnect Cable - 25ft	\$239
20350008	CT7 Thruster/Z-Drive Interface Processor	\$1,399
20310025	TS203 Full Follow Up Remote Lever for SP-36 & SP-38 Pilot Systems w/ 40 ft of Cable	\$1,400

20310002	NFU Jog Switch with single set of switches for SP-36 & SP-38									\$600
20350001	CT-2 Motor Controller for use with NFU Jog lever and a reversing Hyd. Pump									\$1,200
TS38	SP38 N2K Full followup remote 6M cable									\$1,400
NF38	SP38 N2K Non followup remote 6M cable									\$1,400
20110013	SP38 N2K Second station kit w/ 25' cable									\$2,500
30110006	SP36 YOKE Mount kit for control head									\$59
30110022	SP36 Flush Mount kit for control head									\$37
30110023	SP36 Surface Mount kit for control head									\$37
30110019	Plastic Sun Cover for SP36 Control Head									\$37
<b>HYDRAULIC PUMPS AND DRIVES</b>										
OCTAFG1012	18CI reversing gear pumpset, 12 VDC									\$550
81167	18 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 10 to 18 cubic inch)									\$650
81783	30 Cubic Inch reversing piston pumpset, 12 VDC (Adjustable flow from 18 to 30 cubic Inch)									\$775
<b>GENERAL AUTOPILOT ACCESSORIES</b>										
SRS-100	Universal Wireless Jog Control System. Can be added to most any autopilot system (not a wireless pilot control)									\$250
OC17SUK42	30" Hyd. Hose & Fittings Kit for Teleflex Seastar Steering - Incl. all Hyd. Fittings									\$219
OC17SUK34	Verado Power Steering Installation Kit Including All Hoses									\$399
223346R2	12vdc Variable Flow Solenoid Valve System									\$1,199
OC17SUK03	Unbalanced Hydraulic Ram Compensator Valve									\$200
OC15SUK27A	Rudder Feedback for Mechanical Drive units									\$299
OC15SUK27E	Rudder Feedback for Mechanical Drive units for the SP-110									\$299
OC15SUK16	3/4" Black Anodized Aluminum Spacer Rings for Dash Drives									\$119
OCTSIMDMSRW	Type "S" Mechanical Dashboard Drive w/ Rudder Feedback, 90 deg. Bezel Kit, Cable adapters									\$1,199
OCTSIMDTPRW	Type "T" Mechanical Dashboard Drive for tilt wheels w/ Built-in Rudder Feedback,w/ Cable adapters									\$1,299
OCTAFMDRESYS*	Type "R" Mechanical Remote Drive units for I/O and inboard installations includes rudder feedback unit									\$1,499
OCTAFMDRSSYS	Mechanical Linear Sailboat Drive - 12" Stroke (Up to 38ft or 15,400 Lbs)									\$1,899
<i>*Specify whether A or B versions from Autopilot Drive Brochure</i>										
<b>REPLACEMENT TRANSDUCERS</b>										
Part#	Power	Beam Angle	Housing	Mount	Plug	Cable	Temp	Speed	For SI-TEX Model	
<b>SINGLE FREQUENCY 120kHz</b>										
250/120	300W	38°	Plastic	TM	8-pin	30'	No	No	SDD-110 Digital Depth	\$140
1700/120	300W	38°	Bronze	TH	8-pin	30'	No	No	SDD-110 Digital Depth	\$160
408P/120	300W	38'	Plastic	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$120
408BR/120	300W	38'	Bronze	FM	8-pin	30'	No	No	SDD-110 Digital Depth	\$250
250/120ST	300W	15°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106,106MkII,106L,106LMkII	\$150
1700/120T8P	600W	15°	Bronze	TH	8-pin	30'	Yes	No	CVS106,106MkII,106L,106LMkII	\$175
<b>SINGLE FREQUENCY 200kHz</b>										
250/200ST	300W	9°	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIA, Profish III	\$150
1700/200T8P	300W	9°	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIA, Profish III	\$175
<b>DUAL FREQUENCY 50/200kHz</b>										
492/50/200ST-ES	500W	42° @ 50kHz 12° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$250
494/50/200-ES	500W	50kHz 12° @ 200kHz	Plastic	IH	8-pin	30'	No	No	EC5F, EC7F, ES502	\$225
496/50/200ST-ES	500W	45° @ 50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	EC5F, EC7F, ES502	\$300
B-60-0-ES for 0° to 7° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$400
B-60-12-ES for 8° to 15° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$400
B-60-20-ES for 16° to 24° deadrise	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	EC5F, EC7F, ES502	\$400
250/50/200ST	600W	50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L,106LMkII, 832, 833	\$150
250C/50/200ST	1kW	50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	CVS832C,833C	\$220
1700/50/200T	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	CVS106MKIIDF,106L, 106LMkII,832	\$170
300/50/200T	600W	50kHz 9° @	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209	\$285

<b>307/50/200T</b>	1kW	22°x45°@50 kHz 6°x11°@200 kHz	Bronze	TH	8-pin	30'	Yes	No	CVS832, 832C, 833, 833C	\$280
<b>500/50/200ST</b>	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	CVS106MKIIDF,106L, 106LMkII, 832, 833	\$350
<b>706/50/200T</b>	1kW	kHz 7° @ 200kHz	Bronze	TH	Two 8-	30'	Yes	No	CVS208/209/210/211	\$800
<b>250/50/200ST-CX</b>	600W	50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$170
<b>1700/50/200T-CX</b>	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$200
<b>307/50/200T-CX</b>	600W	22°x45°@50 kHz 6°x11°@200 kHz	Bronze	TH	8-pin	30'	Yes	No	SVS-560,760,880,1010 CVS-126,128	\$285
<b>500/50/200ST-CX</b>	600W	50kHz 11° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126,128	\$400
<b>B744V-CX w/HS Fairing Block</b>	600W	50kHz 12° @ 200kHz	Bronze	TH	8-pin	30'	Yes	Yes	SVS-560,760,880,1010 CVS-126, 128	\$425
<b>B-60-0-CX for 0° to 7° deadrise</b>	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$400
<b>B-60-12-CX for 8° to 15° deadrise</b>	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$400
<b>B-60-20-CX for 16° to 24° deadrise</b>	600W	50kHz 12° @ 200kHz	Bronze	Tilted	8-pin	30'	Yes	No	SVS-650, CVS-126, CVS-128	\$400
<b>250C/50/200ST-CX</b>	1kW	50kHz 11° @ 200kHz	Plastic	TM	8-pin	30'	Yes	Yes	SVS-560,760,880,1010, CVS-126,128	\$215
<b>707/50/200T-CX</b>	1kW	14°x21°@50 kHz 3°x5°@200k Hz	Bronze	TH	8-pin	30'	Yes	No	CVS128 & CVS-1410 (For Deep Water)	\$525
<b>B-164-0-CX for 0° to 7° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,350
<b>B-164-12-CX for 8° to 15° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,350
<b>B-164-20-CX for 16° to 24° deadrise</b>	1kW	50kHz 6° @	Bronze	Tilted	8-pin	30'	Yes	No	CVS128, CVS-1410	\$1,350
<b>TRANSDUCER/SOUNDER/GPS ACCESSORIES</b>										
<b>Digital A Cable</b>	Adapts ALL CVS106 50/200 txd's with 8-pin round connector to SVS & CVS Series									\$50
<b>Digital A Cable-3</b>	Adapts old style 3 pin Fuji connector to 8 pin Conxall									\$60
<b>Digital F Cable</b>	Converts Furuno transducers with 10 pin connector to SVS & CVS Series Sounders.									\$130
<b>1700FB</b>	White plastic fairing block for 1700 series transducers									\$60
<b>TM231</b>	Transom Bracket for 231/200, 231/50, HTM200, and all "236" "250" Series Txd.									\$15
<b>TS200</b>	Bronze thru-hull temp sensor for retrofit, 30' cable for 5 pin plugs									\$100
<b>5223-1</b>	Paddle wheel kit for 400/500 series transducers									\$40
<b>401-1</b>	25' transducer cable with 8-pin plug to 5-pin & 3-pin plug for 400 series transducers									\$50
<b>400-25</b>	Speed temp insert for 400 series transducers									\$75
<b>810-15</b>	15' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$60
<b>810-30</b>	30' extension cable with 8-pin plugs, for all 8-pin transducers (except active transducers)									\$70
<b>810-15-CX</b>	15' extension cable with 8-pin conxall plugs									\$80
<b>810-30-CX</b>	30' extension cable with 8-pin conxall plugs									\$120
<b>PU-634</b>	2 Pin Power Cord for ALL versions of CVS-106, CVS-833, Profish II									\$20
<b>SIC-21</b>	Data Interface Cable CVS-106, CVS-106Mk II, CVS-833, Profish II									\$25
<b>CN070</b>	6 pin interface plug									\$15
<b>CBC0FS0301</b>	3 Pin ColorMax 15 Power Cord									\$30
<b>SI-TEX Marine Electronics</b>										
Office hours: 9am to 5pm EST Monday thru Friday										
E-Mail: <a href="mailto:orders@si-tex.com">orders@si-tex.com</a>										
Phone: (631) 996-2690										
Fax: (631) 996-2693										