



## Retail Price List Effective February 1, 2022

**ECHO SOUNDERS (Transducers sold separately)**

		<b>LIST PRICE</b>
<b>CVS-126</b>	(50/200kHz) 600 Watt, LCD Digital Sonar System - with (KDF) Kodен Digital Filtering System	\$749
<b>Transducers / Accessories for CVS-126</b>		
250/50/200ST-CX	Transom Mt Dual Freq. w/Temp. & Speed, 600w, 45° @ 50kHz, 11° @ 200kHz	\$170
1700/50/200T-CX	Bronze TH Dual Freq. Depth & Temp, 600w, 45° @ 50kHz, 11° @ 200kHz	\$200
B45/50/200T-CX	Bronze TH Dual Freq. w/Temp, includes high speed fairing block	\$275
307/50/200T-CX	Bronze TH Dual Freq. Depth & Temp, 600w, 22°x45° @ 50kHz, 6°x11° @ 200kHz	\$285
B744V-CX	Bronze TH Dual Freq. w/Spd., Temp. & Hi-Spd Fairing, 45° @ 50kHz, 12° @ 200kHz	\$425
B60-0-CX	Bronze TH Dual Freq. 0° tilt-element w/Temp, 600w, for 0° to 7° hull deadrise	\$350
B60-12-CX	Bronze TH Dual Freq. 12° tilt-element w/Temp., 600w for 8° to 15° hull deadrise	\$350
B60-20-CX	Bronze TH Dual Freq. 20° tilt-element w/Temp, 600w for 16° to 24° hull deadrise	\$350
Digital-A-Cable	Adapts old style 8 pin transducer plug to new 8 pin plug for Kodен sounders	\$50
CW-264A-2M	Power/Data/Speaker cable with inline fuses for CVS-126/CVS-128	\$99
<b>CVS-128</b>	8.4" Color TFT LCD, Dual Frequency (50/200kHz) 600W/1kW w/Kodен Digital Filtering	\$1,749
<b>Transducers / Accessories for CVS-128</b>		
250/50/200ST-CX	Transom Mt 600WDual Freq. w/Temp. & Speed, 600w, 45° @ 50kHz, 11° @ 200kHz	\$170
250C/50/200ST-CX	Transom Mt 1kW Dual Freq. w/Temp. & Speed, 600w, 45° @ 50kHz, 11° @ 200kHz	\$220
B45/50/200T-CX	Bronze TH 600W Dual Freq. w/Temp, includes high speed fairing block	\$275
307/50/200T-CX	Bronze TH Dual Freq. Depth & Temp, 600w, 22°x45° @ 50kHz, 6°x11° @ 200kHz	\$285
707/50/200T-CX	Bronze TH w/Temp., 1kW 14°x21°@50kHz, 3°x5°@200kHz	\$525
B-164-0-CX	Bronze TH Dual Freq. 0° tilt-element w/Temp 1kW for 0° to 7° hull deadrise	\$1,200
B-164-12-CX	Bronze TH Dual Freq. 12° tilt-element w/Temp 1kW for 8° to 15° hull deadrise	\$1,200
B-164-20-CX	Bronze TH Dual Freq. 20° tilt-element w/Temp, 1kW for 16° to 24° hull deadrise	\$1,200
Digital-A-Cable	Adapts old style 8 pin transducer plug to new 8 pin plug for Kodен sounders	\$50
CW-264A-2M	Power/Data/Speaker cable with inline fuses for CVS-126/CVS-128	\$99
CW-576-0.5M	VGA out cable with 15D female plug. For external monitor connection VGA 4:3	\$125
<b>CVS-1410</b>	10.4", Color TFT LCD, Dual Frequency (50/200kHz) 600W/1kW w/Kodен Digital Filtering	\$2,399
<b>Transducers / Accessories for CVS-128</b>		
250C/50/200ST-CX	Transom Mt Dual Freq. w/Temp. & Speed, 600w, 45° @ 50kHz, 11° @ 200kHz	\$220
307/50/200T-CX	Bronze TH Dual Freq. Depth & Temp, 600w, 22°x45° @ 50kHz, 6°x11° @ 200kHz	\$285
707/50/200T-CX	Bronze TH w/Temp., 1kW 14°x21°@50kHz, 3°x5°@200kHz	\$525
B-164-0-CX	Bronze TH Dual Freq. 0° tilt-element w/Temp 1kW for 0° to 7° hull deadrise	\$1,200
B-164-12-CX	Bronze TH Dual Freq. 12° tilt-element w/Temp 1kW for 8° to 15° hull deadrise	\$1,200
B-164-20-CX	Bronze TH Dual Freq. 20° tilt-element w/Temp 1kW for 8° to 15° hull deadrise	\$1,200
Digital-A-Cable	Adapts old style 8 pin transducer plug to new 8 pin plug for Kodен sounders	\$50
CW-264A-2M	Power/Data/Speaker cable with inline fuses for CVS-126/CVS-128	\$99
CW-576-0.5M	VGA out cable with 15D female plug. For external monitor connection - VGA 4:3	\$125
CW-376-5M	6 pin NMEA cable, 5 meters long, one end plain	\$75
<b>CVS-702D</b>	12.1", Color TFT LCD, Dual Frequency (28, 50 or 200kHz selectable) 3kW or 5kW (selectable),	\$4,999
<b>CVS-705D</b>	15", Color TFT LCD, Dual Frequency (28, 50 or 200kHz selectable) 3kW or 5kW (selectable),	\$6,399
<b>CVS-707D</b>	17", Color TFT LCD, Dual Frequency (28, 50 or 200kHz selectable) 3kW or 5kW (selectable),	\$6,899
<b>Transducers for CVS-702D/705D/707D</b>		
TD-284	3kW 28kHz Rubber Moulded TD for Tank Mount	\$1,899
TD-286	5kW 28kHz Rubber Moulded TD for Tank Mount	\$2,599
TD-504T	3kW 50kHz Rubber Moulded TD for Tank Mount	\$1,499

TD-506F	5kW 50kHz Rubber Moulded TD for Tank Mount	\$2,499
TD-66	1kW 200kHz Rubber Moulded TD for Tank Mount	\$899
<b>BROADBAND ECHO SOUNDERS (Transducers sold separately)</b>		
<b>CVS-128B</b>	8.4" Color LCD, 1kW Broadband Sounder, Dual Frequency (24kHz-240kHz selectable)	\$1,799
<b>CVS-1410B</b>	10.4" Color LCD, 1kW Broadband Echo Sounder, Dual Frequency, (24kHz-240kHz selectable)	\$2,699
Transducer Options for CVS-128B and CVS-1410B		
TD-071	38 to 75KhZ, Broadband, Rubber Molded, TD for commercial vessels, no fairing block	\$1,899
TD-091D	42 to 65KhZ and 130 to 210 kHz, Rubber Molded TD, no fairing block	\$2,699
JB-38	TD Junction Box allows use of any existing transducer between 24kHz-210kHz w/ 128B/1410B	\$300
<b>CVS-FX1</b>	12.1" Color LCD, 3kW Broadband Echo Sounder, Quad Frequency (24kHz-240kHz selectable)	\$4,999
<b>CVS-877D</b>	Black Box Version 3kW Broadband Echo Sounder, Quad Frequency (24kHz-240kHz selectable)	\$4,499
Transducer Options For CVS-FX-1 and CVS-FX2BB		
<b>TDM-052A</b>	3kW Rubber molded broadband 38 to 75KhZ and 130 to 210 kHz TD, no fairing block	\$2,799
<b>TDM-052A/R109</b>	Bronze thru-hull version of the TMD-052A. Airmar R109 housing, includes fairing block.	\$3,599
<b>TDM-062A</b>	3kW Rubber molded broadband 38 to 75KhZ and 85 to 135 kHz TD, no fairing block	\$4,799
<b>DUAL RANGE / DUAL SPEED RADAR SYSTEMS</b>		
<b>MDC-941A</b>	8.5" Color LCD Radar, 4kW, 1/16NM to 36NM range, 25" dual range, dual speed Radome	\$3,199
<b>MDC-940A-3</b>	8.5" Color LCD Radar, 4kW, 1/16NM to 48NM range, 3.5 ft dual range, dual speed open antenna	\$5,999
<b>MDC-940A-4</b>	8.5" Color LCD Radar, 4kW, 1/16NM to 48NM range, 4.5 ft dual range, dual speed open antenna	\$6,199
<b>*All MDC-900 Series Radars Include a 10m Radome Interconnect cable, Power Cable and AIS interface w/data cable</b>		
<b>MDC-2041A</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,999
<b>MDC-2040A-3</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open antenna	\$6,799
<b>MDC-2040A-4</b>	10.4" Color LCD Radar, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open antenna	\$6,999
<b>MDC-2060A-4</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$7,999
<b>MDC-2060A-6</b>	10.4" Color LCD Radar, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$8,299
<b>MDC-2010A-4</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$8,799
<b>MDC-2010A-6</b>	10.4" Color LCD Radar, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$9,099
<b>*All MDC-2000 Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cables</b>		
<b>BLACK BOX RADARS</b>		
<b>MDC-2041ABB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 36NM range, 25" dual range, dual spd. Radome	\$4,799
<b>MDC-2040A-3BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open antenna	\$6,599
<b>MDC-2040A-4BB</b>	Black Box, VGA 4:3, 4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open antenna	\$6,799
<b>MDC-2060A-4BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$7,799
<b>MDC-2060A-6BB</b>	Black Box, VGA 4:3, 6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$8,099
<b>MDC-2010A-4BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$8,699
<b>MDC-2010A-6BB</b>	Black Box, VGA 4:3, 12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$8,999
<b>*All MDC-2000BB Series Radars Include a 10m Radome Interconnect cable, Power Cable, AIS and ATA interfaces w/data cab</b>		
<b>MDC-900 AND MDC-2000 SERIES OPTIONS</b>		
<b>CW-265-2M</b>	Replacement Power Cord	\$56
<b>CW-405-0.3M</b>	Composite Video-In Cable. 8 pin on one end. RCA on the other. 0.3m length	\$40
<b>CW-376-5M</b>	6 Pin NMEA cable, 5M length, for input for target tracking solution	\$75
<b>MRD-103A</b>	Remote Display for MDC-900 Series. 8.4" Color LCD	\$1,999
<b>CW-561-10M</b>	Remote Display Connection Cable 10M	\$299
<b>CW-561-30M</b>	Remote Display Connection Cable 30M	\$589
<b>CW-576-0.5M</b>	VGA-Out Cable w/15 Pin D female plug. For external Monitor 4:3 VGA	\$150
<b>Optional Extended Antenna Cable Lengths for T-900 &amp; T2000 Series:</b>		

49' Interconnect Cable Upgrade.		\$100
65' Interconnect Cable Upgrade		\$200
100' Interconnect Cable Upgrade		\$400
<b><u>RADARpc FOR USE WITH ROSEPOINT COASTAL EXPLORER SOFTWARE (PURCHASED SEPARATELY)</u></b>		
<b>MDS-1105R</b>	4kW output, 1/8NM to 36NM range, 25" Radome	\$4,299
<b>MDS-1104R-3</b>	4kW output, 1/8NM to 48NM range, 3.5 ft. dual spd. open antenna	\$6,099
<b>MDS-1104R-4</b>	4kW output, 1/8NM to 48NM range, 4.5 ft. dual spd. open antenna	\$6,299
<b>MDS-1104R-6</b>	4kW output, 1/8NM to 48NM range, 6 ft. dual spd. open antenna	\$6,799
<b>MDS-1106R-4</b>	6kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$7,599
<b>MDS-1106R-6</b>	6kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$8,099
<b>MDS-1112R-4</b>	12kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$8,499
<b>MDS-1112R-6</b>	12kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$8,999
<b>MDS-1112R-9</b>	12kW output, 1/8NM to 72NM range, 9 ft. dual spd. open antenna	\$9,599
<b>MDS-1125R-4</b>	25kW output, 1/8NM to 72NM range, 4.5 ft. dual spd. open antenna	\$9,499
<b>MDS-1125R-6</b>	25kW output, 1/8NM to 72NM range, 6 ft. dual spd. open antenna	\$9,999
<b>MDS-1125R-9</b>	25kW output, 1/8NM to 72NM range, 9 ft. dual spd. open antenna	\$10,599
<b>MDS-11R</b>	Bought separately for adding to an existing Koden radar dome	\$1,900
<b><u>BLACK BOX and 12.1" RADARS w/C-MAP OVERLAY</u></b>		
<b>MDC-5004-3</b>	Black Box, 4kW output, 1/8NM to 48NM range, 3.5 ft. open antenna	\$9,999
<b>MDC-5004-4</b>	Black Box, 4kW output, 1/8NM to 48NM range, 4.5 ft. open antenna	\$10,199
<b>MDC-5004-6</b>	Black Box, 4kW output, 1/8NM to 48NM range, 6 ft. open antenna	\$10,599
<b>MDC-5060-4</b>	Black Box, 6kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$11,199
<b>MDC-5060-6</b>	Black Box, 6kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$11,599
<b>MDC-5010-4</b>	Black Box, 12kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$11,999
<b>MDC-5010-6</b>	Black Box, 12kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$12,599
<b>MDC-5010-9</b>	Black Box, 12kW output, 1/8NM to 64NM range, 9 ft. open antenna	\$13,199
<b>MDC-5020-4</b>	Black Box, 25kW output, 1/8NM to 96NM range, 405 ft. open antenna	\$13,299
<b>MDC-5020-6</b>	Black Box, 25kW output, 1/8NM to 96NM range, 6 ft. open antenna	\$13,699
<b>MDC-5020-9</b>	Black Box, 25kW output, 1/8NM to 96NM range, 9 ft. open antenna	\$14,299
<b>MDC-5204-3</b>	12.1" Color LCD, 4kW output, 1/8NM to 48NM range, 3.5 ft. open antenna	\$9,999
<b>MDC-5204-4</b>	12.1" Color LCD, 4kW output, 1/8NM to 48NM range, 4.5 ft. open antenna	\$10,199
<b>MDC-5204-6</b>	12.1" Color LCD, 4kW output, 1/8NM to 48NM range, 6 ft. open antenna	\$10,599
<b>MDC-5206-4</b>	12.1" Color LCD, 6kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$11,199
<b>MDC-5206-6</b>	12.1" Color LCD, 6kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$11,599
<b>MDC-5212-4</b>	12.1" Color LCD, kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$11,999
<b>MDC-5212-6</b>	12.1" Color LCD, 12kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$12,599
<b>MDC-5212-9</b>	12.1" Color LCD, 12kW output, 1/8NM to 64NM range, 9 ft. open antenna	\$13,199
<b>MDC-5225-4</b>	12.1" Color LCD, 25kW output, 1/8NM to 96NM range, 4 ft. open antenna	\$13,299
<b>MDC-5225-6</b>	12.1" Color LCD, 25kW output, 1/8NM to 96NM range, 6 ft. open antenna	\$13,699
<b>MDC-5225-9</b>	12.1" Color LCD, 25kW output, 1/8NM to 96NM range, 9 ft. open antenna	\$14,299
<b><u>MDC-5000 and MDC-5200 Options and Extra Cable Lengths</u></b>		
<b>MRD-111</b>	Remote display - 12" High Resolution Color TFT LCD	\$5,100
<b>CW-376-5M</b>	Data cable, 6 pin connector, the other end plain, 5 meters for position and HDT heading input	\$75
<b>CW-387-5M</b>	8 pin AIS data cable, 5 meters long, one end plain	\$75
<b>CW-576-0.5M</b>	VGA out cable with 15 pin D female plug. For external monitor connection VGA 4:3	\$150
<b>242J159098B</b>	49' Interconnect Cable	\$100
<b>242J159098C</b>	65' Interconnect Cable	\$200
<b>242J159098D</b>	100' Interconnect Cable	\$400
<b>MDC-7006-4BB</b>	Black Box, 6kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$12,199
<b>MDC-7006-6BB</b>	Black Box, 6kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$12,599
<b>MDC-7012-4BB</b>	Black Box, 12kW output, 1/8NM to 64NM range, 4.5 ft. open antenna	\$12,999
<b>MDC-7012-6BB</b>	Black, Box, 12kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$13,399
<b>MDC-7012-9BB</b>	Black Box, 12kW output, 1/8NM to 64NM range, 9 ft. open antenna	\$13,999
<b>MDC-7025-4BB</b>	Black Box, 25kW output, 1/8NM to 96NM range, 4 ft. open antenna	\$14,299

<b>MDC-7025-6BB</b>	Black Box,25kW output, 1/8NM to 96NM range, 6 ft. open antenna	\$14,699
<b>MDC-7025-9BB</b>	Black Box,25kW output, 1/8NM to 96NM range, 9 ft. open antenna	\$15,299
<u>MD-7000BB Options and Extra Cable Lengths</u>		
<b>CW-376-5M</b>	Data cable, 6 pin connector, the other end plain, 5 meters for position and HDT heading input	\$75
<b>CW-387-5M</b>	8 pin AIS data cable, 5 meters long, one end plain	\$75
<b>MRM-108/MRO-108</b>	Second station - black box radar unit (MDC-7000BB series)	\$6,999
<b>CW-576-0.5M</b>	VGA out cable with 15 pin D female plug. For external monitor connection VGA 4:3	\$150
<b>242J159098C</b>	65' Interconnect Cable	\$200
<b>242J159098D</b>	100' Interconnect Cable	\$400
<b>15" and 19" RADAR SYSTEMS</b>		
<b>MDC-5504-3</b>	15" Color LCD, 4kW output, 1/8NM to 48NM range, 3.5 ft. open antenna	\$13,499
<b>MDC-5504-4</b>	15" Color LCD, 4kW output, 1/8NM to 48NM range, 4.5 ft. open antenna	\$13,699
<b>MDC-5504-6</b>	15" Color LCD, 4kW output, 1/8NM to 48NM range, 6 ft. open antenna	\$14,099
<b>MDC-5506-4</b>	15" Color LCD, 6kW output, 1/8NM to 64NM range, 4 ft. open antenna	\$14,699
<b>MDC-5506-6</b>	15" Color LCD, 6kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$15,099
<b>MDC-5512-4</b>	15" Color LCD, 12kW output, 1/8NM to 64NM range, 4 ft. open antenna	\$15,499
<b>MDC-5512-6</b>	15" Color LCD, 12kW output, 1/8NM to 64NM range, 6 ft. open antenna	\$15,899
<b>MDC-5512-9</b>	15" Color LCD, 12kW output, 1/8NM to 64NM range, 9 ft. open antenna	\$16,099
<b>MDC-5525-4</b>	15" Color LCD, 25kW output, 1/8NM to 96NM range, 4 ft. open antenna	\$16,799
<b>MDC-5525-6</b>	15" Color LCD, 25kW output, 1/8NM to 96NM range, 6 ft. open antenna	\$17,199
<b>MDC-5525-9</b>	25kW output, 1/8NM to 96NM range, 9 ft. open antenna	\$17,799
<u>MDC-5500MDC-7000 Series Options and Extra Cable Lengths</u>		
<b>CW-376-5M</b>	Data cable, 6 pin connector, the other end plain, 5 meters for POS and HDT heading input	\$75
<b>CW-387-5M</b>	8 pin AIS data cable, 5 meters long, no connector one end	\$75
<b>CW-576-0.5M</b>	VGA out cable with 15 pin D female plug. For external monitor connection VGA 4:3.	\$150
<b>CW-259</b>	Spare power cord	\$84
<b>242J159098B</b>	49' Interconnect Cable	\$100
<b>242J159098C</b>	65' Interconnect Cable	\$200
<b>242J159098D</b>	100' Interconnect Cable	\$400
<b>MDC-7906-4</b>	19" Color LCD, Non-IMO, 6kW, 1/8 to 64NM range, 4 ft. Open Array	\$16,499
<b>MDC-7906-6</b>	19" Color LCD, Non-IMO, 6kW, 1/8 to 64NM range, 6 ft. Open Array	\$16,899
<b>MDC-7912-4</b>	19" Color LCD, Non-IMO, 12kW, 1/8 to 64NM range, 4 ft. Open Array	\$16,899
<b>MDC-7912-6</b>	19" Color LCD, Non-IMO, 12kW, 1/8 to 64NM range, 6 ft. Open Array	\$17,299
<b>MDC-7912-9</b>	19" Color LCD, Non-IMO, 12kW, 1/8 to 64NM range, 9 ft. Open Array	\$17,899
<b>MDC-7925-4</b>	19" Color LCD, Non-IMO, 25kW, 1/8 to 96NM range, 4 ft. Open Array	\$18,199
<b>MDC-7925-6</b>	19" Color LCD, Non-IMO, 25kW, 1/8 to 96NM range, 6 ft. Open Array	\$18,599
<b>MDC-7925-9</b>	19" Color LCD, Non-IMO, 25kW, 1/8 to 96NM range, 9 ft. Open Array	\$19,199
<b>IMO RADARS</b>		
<b>MDC-7912P-4</b>	19" Color SXGA LCD, 12kW, 1/8 to 64NM range, 4 ft. Open Array	\$19,199
<b>MDC-7912P-6</b>	19" Color SXGA LCD, 12kW, 1/8 to 64NM range, 6 ft. Open Array	\$19,599
<b>MDC-7912P-9</b>	19" Color SXGA LCD, 12kW, 1/8 to 64NM range, 9 ft. Open Array	\$20,199
<b>MDC-7925P-4</b>	19" Color SXGA LCD, 25kW, 1/8 to 96NM range, 4 ft. Open Array	\$20,499
<b>MDC-7925P-6</b>	19" Color SXGA LCD, 25kW, 1/8 to 96NM range, 6 ft. Open Array	\$20,899
<b>MDC-7925P-9</b>	19" Color SXGA LCD, 25kW, 1/8 to 96NM range, 9ft Open Array	\$21,499
<b>MDC-7012P-4</b>	Black Box, 12kW, 1/8 to 64NM range, 4 ft. Open Array	\$16,499
<b>MDC-7012P-6</b>	Black Box, 12kW, 1/8 to 64NM range, 6 ft. Open Array	\$16,899
<b>MDC-7012P-9</b>	Black Box, 12kW, 1/8 to 64NM range, 9 ft. Open Array	\$17,499
<b>MDC-7025P-4</b>	Black Box, 25kW, 1/8 to 96NM range, 4 ft. Open Array	\$17,799
<b>MDC-7025P-6</b>	Black Box, 25kW, 1/8 to 96NM range, 6 ft. Open Array	\$18,199
<b>MDC-7025P-9</b>	Black Box, 25kW, 1/8 to 96NM range, 9 ft. Open Array	\$18,799
<u>IMO RADAR Extra Cable Lengths</u>		
<b>242J159098C</b>	65' Interconnect Cable	\$200



<b>242J159098D</b>	100' Interconnect Cable	\$400
<b><u>RADAR SYSTEMS PRICED SEPARATELY</u></b>		
<b><u>Displays</u></b>		
MRD103A	8.4" Color Display for MDC900 Series Radars	\$1,999
MRD104A	10.4" Color Display for MDC2000 Series Radars	\$2,800
MRD111	12" Color Display for MDC-5200 Series Radars	\$5,100
MRD109	15" Color Display for MDC-5500 Series Radars	\$7,100
MRD108	19" Color Display for MDC-7900 Series Radars	\$8,500
MRD108P	19" Color Display for MDC-7900P IMO Series Radars	\$9,400
<b><u>Black Box Processors and Operation Units</u></b>		
MRO-112	Operation Unit for MDC-2000BB Series Radars	\$699
MRM-112	Processor Unit for MDC-2200BB	\$2,200
MRO-108	Operation Unit for MDC-5500 & 7000 Series Radars	\$1,099
MRM-108	Processor Unit for MDC-5500 & 7000 Series Radars	\$5,200
MRO-110	Operation Unit for MDC-5000 Series Radars	\$1,099
MRM-110	Processor Unit for MDC-5000 Series Radars	\$4,300
MRO-108P	Operation Unit for MDC-7000P and 7900P Series Radars	\$1,099
MRM-108P	Processor Unit for MDC-7000P and 7900P Series Radars	\$6,000
<b><u>Radar Antenna Units</u></b>		
RB805	4 kW 25" Radome	\$1,999
RB806	4 kW OPEN (LESS ARRAY)	\$2,999
RB717A	6 kW OPEN (LESS ARRAY)	\$3,999
RB718A	12 kW OPEN (LESS ARRAY)	\$4,999
RB719A	25 kW OPEN (LESS ARRAY)	\$6,499
RB808P	12 kW IMO OPEN (LESS ARRAY)	\$6,999
RB809P	25 kW IMO OPEN (LESS ARRAY)	\$8,499
<b><u>Radar Arrays</u></b>		
RW701A-03	3' OPEN ARRAY	\$849
RW701A-04	4' OPEN ARRAY	\$1,049
RW701A-06	6' OPEN ARRAY	\$1,499
RW701A-09	9' OPEN ARRAY	\$2,299
<b><u>Radar Interconnect Cables</u></b>		
242J160680A	33' Interconnect cable for 2 kW dome RB714A	\$299
242J160680B	49' Interconnect cable for 2 kW dome RB714A	\$399
242J160680C	65' Interconnect cable for 2 kW dome RB714A	\$499
242J160680D	100' Interconnect cable for 2 kW dome RB714A	\$699
242J158055A	33' Interconnect cable for 4 kW dome RB715A	\$299
242J158055B	49' Interconnect cable for 4 kW dome RB715A	\$399
242J158055C	65' Interconnect cable for 4 kW dome RB715A	\$499
242J158055D	100' Interconnect cable for 4 kW dome RB715A	\$699
242J159098A	33' Interconnect cable for all open array scanners (RB716A-RB719BP)	\$299
242J159098B	49' Interconnect cable for all open array scanners (RB716A-RB719BP)	\$399
242J159098C	65' Interconnect cable for all open array scanners (RB716A-RB719BP)	\$499
242J159098D	100' Interconnect cable for all open array scanners (RB716A-RB719BP)	\$699
<b><u>SONAR</u></b>		
<b>KDS-6000BB</b>	Black Box, 1.5kW, 130-210Khz Broadband Searchlight Sonar System w/ 6" Dome.	\$14,999
<b>KDS-6000BBS</b>	Stabilized version of the KDS-6000BB	\$16,999
<b><u>KDS-6000BB Options</u></b>		
<b>DHU-6302</b>	KDS-6000BB Sound Dome with 33' cable - Replacment Unit	\$6,999
<b>RCW-14</b>	Hand Held Remote Control (wired)	\$500
<b>ESR-1507</b>	KDS-6000BB FRP Tank, 4.9'	\$1,999

<b>OP-621</b>	Motion Sensor for the KDS-6000BBS	\$2,099
<b>KDS-8000BB</b>	Black Box, 1.5kW, 130-210Khz Broadband Sector Scan Sonar System w/ 8" Dome.	\$32,999
<u>KDS-8000BB Options</u>		
<b>DHU-8301</b>	KDS-8000BB Sound Dome with 33' cable - Replacement Unit	\$15,999
<b>RCW-14</b>	Hand Held Remote Control (wired)	\$500
<b>ESR-1508</b>	KDS-8000BB FRP Tank, 4.9'	\$2,999
<b>OP-802</b>	KDS-8000BB Motion Sensor	\$1,550
<u>GPS RECEIVERS</u>		
<b>KGP-915</b>	72 Channel, WAAS GPS Receiver, 4.3" Color LCD Screen, L/L or TDs, 9000 WPs, 20 Routes	\$699
<b>KGP-922</b>	72 Channel, IMO Approved WAAS GPS Receiver, 4.3" Color LCD for mandatory installations	\$1,199
<b>KRD-10</b>	Color LCD NMEA-0183 Repeater - 18 Different selectable display screens	\$499
<b>GPS-21</b>	18 Channel Smart GPS Antenna Sensor	\$259
<b>KBG-3</b>	GPS/DGPS Smart Antenna	\$999
<u>AIS</u>		
<b>KAT-330</b>	Class A AIS transceiver Display transponder unit w/high resolution 6" Color LCD CLASS A AIS Transceiver (IMO APPROVED) meets IMO Standard MSC.74(69) Annex 4, etc 72 channel GPS receiver with external antenna Data Outputs for radar, chart plotter etc., NMEA 0183&2000, RS-232, Long Range WIFI, 10.8 to 31.2 VDC. Bracket or Flush mount. C-MAP chart optional	\$2,499
<u>GPS COMPASS</u>		
<b>KGC-300</b>	IMO GPS COMPASS w/4.3" Color LCD Display	\$3,999
<u>KGC-222 and KGC-300 Options</u>		
<b>SV-KCM</b>	1"1/4 Antenna Mounting Bracket	\$99
<b>JB-35</b>	NMEA Junction Box for expansion to 5 NMEA ports - included CW-376-5M cable	\$299
<b>CW376-5M</b>	NMEA-0183 Data cable	\$75
<b>SI-TEX Marine Electronics</b>		
<b>Office hours: 9am to 5pm EST Monday thru Friday</b>		
<b>E-Mail: <a href="mailto:orders@si-tex.com">orders@si-tex.com</a></b>		
<b>Phone: (631) 996-2690</b>		
<b>Fax: (631) 996-2693</b>		